



PRICE LIST 2026

Block B · Woodgates Farm · Woodgates End
Dunmow · Essex · CM6 2BN
Tel: 01279 871159
Fax: 01279 871163
sales@sisinsulation.co.uk
www.sisinsulation.co.uk

SIS
Specialist Insulation Supplies Ltd

IPCOM
insulation solutions

FIND US ON:





Introduction

SPECIALIST INSULATIONS commenced trading in 1962 and was incorporated as a limited company in 1974. Following an acquisition in 1991 the name was changed to its present form, having previously traded as one of the most respected names in the industry. The company has since grown and established itself in the HVAC market by supplying brand leading products coupled with an unrivalled service to our customers, a combination that we regard as unbeatable.



As we are a member of the IIDA (Independent Insulation Distributors Association) we are also able to offer a nationwide delivery service.

Over the years the business has expanded, and we are currently located in a purpose built unit in Dunmow, Essex, and this move allows us to offer a onestop shop for all your insulation requirements for the HVAC market. The growth of SIS has been ongoing for the past 10 years, and we have now taken the next step in the progression and development of the business by joining the IPCOM group in October 2024. Joining the IPCOM group opens the doors to an extended range of products for the High Temperature, Acoustic & Passive Fire Protection markets, which will help our customers to continue to grow with us.



MAJOR STOCKISTS OF:

- Isover
- Rockwool
- Bostik
- Armaflex / K-FLEX
- Supaphen Phenolic
- Isogenopak
- Polyisobutylene
- Proclad
- Kingspan Duct Insulation
- Paroc Technical Insulation
- Sealants & Mastics
- Intumescent
- Acoustic Insulation Products
- Fire Protection Products
- SIS-Wrap Slotted Phenolic Foam



Specialist Insulation Supplies Ltd

FEBRUARY 2026

MINERAL FIBRE

ISOVER CLIMCOVER ROLL ALU2 DUCTWRAP	3
ISOVER CLIMCOVER ALU2 STRONG DUCTWRAP	3
ISOVER CLIMPIPE SECTION - ALU2	3
PAROC HVAC SECTION - ALUCOAT T - STONE WOOL PIPE INSULATION	4
PAROC ALUCOAT H & V SECTION PACKING LIST	4
ICEROCK DUCTWRAP	6
PAROC HVAC SLAB ALUCOAT	6
ROCK LAMELLA MAT ALUCOAT	6
DUCTWRAP PAROC HVAC MAT ALUCOAT	6
ROCK MINERAL WOOL BUILDING SLABS - PLAIN	7
ROCK MINERAL WOOL BUILDING SLABS - FOIL FACED	7
KNAUF ROCK MINERAL WOOL DUCT SLAB	7
KNAUF POWER-TEK WM640 GALVANSIDE WIRED MAT (80KG/M³)	7
KNAUF POWER-TEK WM660 GALVANSIDE WIRED MAT (100KG/M³)	7
ROCKWOOL ROCKLAP H&V PIPE INSULATION	9
ROCKWOOL ROCKLAP H & V PIPE SECTION PACKING LIST	9
ROCKWOOL FOIL FACED DUCTWRAP	10
ROCKWOOL FOIL FACED DUCTSLAB	10
ROCKWOOL TECHTUBE (5 KG/M² POLYMERIC)	10
ROCKWOOL DUODUCT EXTERNAL DUCTSLAB	10

ACOUSTIC MATERIALS

SUPERLAG PRIME FLEXILAG	12
ACOUSTIC BARRIER	12
CLASS 'O' ACOUSTIC FOAM	12
ACOUSTIC RAINWATER & SOIL PIPE INSULATION	13
ARMACOMFORT AB PLUS SHEET - PLAIN BACKED/PLAIN FACED	13
ARMACOMFORT AB ALU PLUS SHEET - PLAIN BACKED/ALUMINIUM FOIL FACED	13
ARMACOMFORT AB PLUS SHEET - SELF-ADHESIVE BACKING/PLAIN FACED	13
ARMACOMFORT AB SELF-ADHESIVE TAPE	13
BOSTIK BUTYL THERMAL ACOUSTIC WRAP	13

POLYISOCYANURATE

SIS-WRAP FOILED SLOTTED SECTION	14
SIS-WRAP WEATHERCLAD SLOTTED SECTION	15

PHENOLIC FOAM

SIS-WRAP PHENOLIC FOILED SLOTTED SECTION	18
SIS-WRAP PHENOLIC WEATHERCLAD SLOTTED SECTION	19

FIRE PROTECTION

ISOVER ULTIMATE™ PROTECT SLABS (BLACK FOIL FACED)	20
ISOVER ULTIMATE™ PROTECT WIRED MATS (BLACK FOIL FACED)	20
ISOVER ULTIMATE™ PROTECT ACCESSORIES	20
ROCKWOOL FPL SLAB	21
ROCKWOOL FIRE STOPPING PRODUCTS	21
ROCKWOOL FIREPRO INSULATED FIRE SLEEVES	21
ROCKWOOL FIRE DUCT SLAB	22
ROCKWOOL DUCTROCK SLAB	22
ROCKWOOL BLACK ALU FOIL TAPE	22
ROCKWOOL U - PROFILE	22

PHENOLIC FOAM

KINGSPAN KOOLTHERM FM DUCT INSULATION	24
KINGSPAN THERMA DUCT INSULATION	24
KINGSPAN KOOLTHERM FM PIPE INSULATION	26
KINGSPAN KOOLTHERM FIRE SLEEVES	26
KINGSPAN KOOLTHERM FM H&V PHENOLIC PIPE INSULATION	27
SUPAPHEN PHENOLIC FOAM CUT PIPE INSULATION	29
SUPAPHEN PACKAGING SPECIFICATION	30
SUPACEL ALUMEN PHENOLIC SLAB	30
SUPAPHEN PHENOLIC HIGH DENSITY PIPE SUPPORTS	30
SUPAPHEN PHENOLIC FOAM PIPE INSULATION	31

NITRILE RUBBER / ANCILLARIES

CLASS O ARMAFLEX - K-FLEX TUBE	33
CLASS O ARMAFLEX - K-FLEX SHEET	33
CLASS O NITRILE SELF ADHESIVE INSULATION TAPE	33
AF ARMAFLEX EVO - (TUBE)	34
ARMAFLEX - K-FLEX SELFSEAL TUBE	34
NITRILE ADHESIVE	34
ARMAFLEX CLASS O TUBES ENDLESS (15M COILS)	35
ARMAFLEX CLASS O AIR CONDITIONING COILS (BOXES)	35
HT ARMAFLEX	36
NITRILE CLEANER	36
NITRILE FR PAINT	36
PVC TAPE - BLACK & GREY	36

CFC FREE POLYETHYLENE PIPE INSULATION

TUBOLIT - K-FLEX PE	37
---------------------	----

ANCILLARIES

ADHESIVES - COATINGS & VAPOUR SEALS	39
STAINLESS STEEL - ALUMINIUM FIXINGS AND FASTENINGS	40
STAINLESS STEEL - ALUMINIUM FIXINGS AND FASTENINGS	41
MISCELLANEOUS FIXINGS AND FASTENINGS	42
TAPES AND ID BANDING	43
PROTECH GLOBAL	44
TEMATI - VAPOR-FAS 62-05 JACKETING	45
TEMATI - TEMFOIL SA30 (CW) - ALUMINIUM FOIL TAPE	45
TEXTILES AND COVERINGS	46
ISOGENOPAK 350 SE ACCESSORIES	47
ISOGENOPAK S BENDS	47
ISOGENOPAK T SECTIONS	48
ISOGENOPAK ALTERNATIVE BEND SIZE CHART	49

TECHNICAL CHARTS

GUIDE TO PIPE SIZES	51
RECOMMENDED BAND LENGTHS	51
CONVERSION FACTORS	51
SUGGESTED PIPE SECTION - DOUBLE LAYERING CHART	52

FEBRUARY 2026

Isover CLIMCOVER Roll Alu2 Ductwrap

Reinforced Aluminium Foil Faced

Fire behaviour: Non combustible, Euroclass A2-s1, d0 to EN 13501-1

Thermal conductivity: [10°C] = 0.032 W/Mk

 Price in £ per m²

THICKNESS mm	ROLL SIZE	FACED PRICE IN £ PER m ²
25	1.2 × 18m	86.63
40	1.2 × 12m	107.97
50	1.2 × 9m	124.52

Isover CLIMCOVER ALU2 Strong Ductwrap

Reinforced Aluminium Foil Faced

Fire behaviour: Non combustible, Euroclass A2-s1, d0 to EN 13501-1

Thermal conductivity: [10°C] = 0.032 W/Mk

 Price in £ per m²

Thickness mm	ROLL SIZE	ROLL AREA (m ²)	Price (per m ²)
25	1.2 × 15m	18.00	98.79
40	1.2 × 9.5m	11.40	122.96
50	1.2 × 7.5m	9.00	141.80

Isover CLIMPIPE Section - Alu2

Reinforced Aluminium Foil Faced

Reaction to fire: Non-combustible, Euroclass A2L-s1,d0 to EN 13501-1

Thermal conductivity: [10°C] = 0.033 W/mK

Price in £ per linear metre

NOMINAL O/D mm	NOMINAL WALL THICKNESS mm					
	20	25	30	40	50	60
15/17	64.16	73.10	94.86	121.19	177.02	
21/22	68.66	76.32	99.60	126.28	186.82	
27/28	73.10	81.94	106.81	132.19	191.35	
34/35	80.05	91.70	114.70	143.32	203.67	
42	88.12	99.83	124.22	152.73	213.00	
48	94.78	107.30	131.45	159.89	223.62	
54	102.18	116.48	143.19	174.19	230.71	
60	108.70	124.01	150.90	182.17	252.18	384.64
70		130.98	159.32	193.77		
76		141.62	171.01	204.85	275.00	415.07
83		146.20	186.64	225.82		
89		155.50	186.73	223.18	294.64	443.32
108		198.35	235.60	281.33		
114		207.24	243.60	289.37	382.26	528.53
140		239.43	280.47	330.70	425.48	618.22
168		286.84	330.70	386.41	492.44	649.00
219		410.26	465.49	537.18	674.30	873.48
273		473.82	536.18	629.89	778.85	1022.25
324						

Standard lengths 1.2m

Paroc HVAC Section - Alucoat T - Stone Wool Pipe Insulation

Reinforced Aluminium Foil Faced

Reaction to fire: Non-combustible, Euroclass A2L-s1,d0 to EN 13501-1

Thermal conductivity: [10°C] = 0.033 W/mK

Maximum Service Temperature: 250°C

Price in £ per linear metre – supplied in 1.2m lengths

NOMINAL O/D mm	NOMINAL WALL THICKNESS mm					
	20	25	30	40	50	60
15/17	60.74	69.13	89.79	114.46		
21/22	63.50	69.95	92.48	118.23	174.15	
27/28	67.85	75.77	99.09	122.92	176.87	292.55
34/35	73.33	84.92	105.00	132.65	188.16	304.68
42	81.81	92.82	114.98	140.84	196.76	322.76
48	87.68	99.53	121.74	148.99	207.14	337.15
54	94.31	110.66	132.65	160.91	221.17	347.39
60	100.80	114.71	139.82	172.45	232.98	355.85
67	–	122.71	147.17	182.34	248.13	369.26
76	–	132.71	158.62	193.78	259.32	384.50
89	–	147.07	173.14	211.01	272.90	410.45
108	–	187.46	218.02	260.97	344.10	477.62
114	–	195.59	226.00	270.49	350.95	486.32
140	–	222.63	260.19	306.17	394.20	547.60
169	–	266.12	306.74	358.58	455.94	600.59
219	–	378.92	442.06	498.44	625.76	825.81
273	–	463.03	523.89	595.59	736.35	904.68
324	–	581.06	646.86	770.17	941.12	1114.57
356	–	–	741.71	855.18	977.56	1374.68

Standard lengths 1.2m

Standard Nominal Density 100kg/m³

Paroc Alucoat H&V Section Packing List

NOMINAL O/D mm	NOMINAL WALL THICKNESS mm							
	20	25	30	40	50	60	80	100
15/17	35/42.0	28/33.6	20/24.0	12/14.4				
21/22	28/33.6	20/24.0	15/18.0	9/10.8	7/8.4			
27/28	20/24.0	15/18.0	12/14.4	9/10.8	7/8.4	5/6.0		
34/35	20/24.0	15/18.0	12/14.4	7/8.4	5/6.0	5/6.0		
42	15/18.0	12/14.4	9/10.8	7/8.4	5/6.0	3/3.6		
48	12/14.4	9/10.8	7/8.4	7/8.4	5/6.0	3/3.6		
54	12/14.4	9/10.8	7/8.4	7/8.4	5/6.0	3/3.6		
60	9/10.8	7/8.4	7/8.4	5/6.0	5/6.0	3/3.6		
70		7/8.4	7/8.4	5/6.0	3/3.6	3/3.6		
76		7/8.4	5/6.0	5/6.0	3/3.6	3/3.6		
89		5/6.0	5/6.0	3/3.6	3/3.6	3/3.6		
108		5/6.0	3/3.6	3/3.6	3/3.6	3/3.6	2/2.4	1/1.2
114		3/3.6	3/3.6	3/3.6	3/3.6	3/3.6	2/2.4	1/1.2
133		3/3.6	3/3.6	3/3.6	3/3.6	2/2.4	2/2.4	1/1.2
140		3/3.6	3/3.6	3/3.6	2/2.4	2/2.4	2/2.4	1/1.2
169		3/3.6	3/3.6	2/2.4	2/2.4	2/2.4	1/1.2	1/1.2
219			2/2.4	2/2.4	1/1.2	1/1.2	1/1.2	1/1.2
273			1/1.2	1/1.2	1/1.2	1/1.2	1/1.2	

Quantities given in section lengths/linear metres per package.

Icerock Ductwrap

Reinforced Aluminium Foil Faced

Fire behaviour: Non combustible, Euroclass A2-s1, d0 to EN 13501-1

Thermal conductivity: [10°C] = 0.032 W/Mk

Density: 40 - 45kg/m³

THICKNESS mm	ROLL SIZE	ROLL AREA (m ²)	BRIGHT CLASS 'O' FACED PRICE IN £ PER m ²
25	900mm x 10m	9	99.67
40	900mm x 8.5m	7.65	127.00
50	900mm x 7.5m	6.75	145.60

Paroc HVAC Slab Alucoat

Reinforced Aluminium Foil Faced

Fire behaviour: Non combustible, Euroclass A1 to EN 13501-1

Thermal conductivity: [10°C] = 0.035 W/Mk

Density: 50 - 60kg/m³

THICKNESS (mm)	SLAB SIZE (mm)	PACK QUANTITY	PACK AREA (m ²)	PRICE IN £ PER m ²
30	1200 x 600	14	10.08	215.74
40	1200 x 600	12	8.64	235.81
50	1200 x 600	8	5.76	260.79
60	1200 x 600	8	5.76	322.11
80	1200 x 600	6	4.32	391.23
100	1200 x 600	5	3.6	521.64

Paroc Pro Lamella Mat Alucoat

Reinforced Aluminium Foil Faced

Fire behaviour: Non combustible, Euroclass A1 to EN 13501-1

Thermal conductivity: [10°C] = 0.039 W/Mk

Density: 50kg/m³

THICKNESS mm	ROLL LENGTH (m)	ROLL AREA (m ²)	PRICE IN £ PER m ²
25	8	9	177.50
30	8	8	188.94
40	6	6	214.88
50	5	5	239.31
60	4	4	275.25
80	3	3	333.19

Ductwrap Paroc HVAC Mat Alucoat

Reinforced Aluminium Foil Faced

Fire behaviour: Non combustible, Euroclass A1 to EN 13501-1

Thermal conductivity: [10°C] = 0.036 W/Mk

Density: 45kg/m³

THICKNESS (mm)	ROLL SIZE	PACK AREA (m ²)	PRICE IN £ PER m ²
30	1m x 8m	8	91.13
40	1m x 7m	7	113.88
50	1m x 7m	7	130.57
60	1m x 7m	7	162.15

FEBRUARY 2026

Knauf Rock Mineral Wool Building Slabs – Plain

 Price in £ per m²

THICKNESS mm	SLAB DENSITY					
	33 kg	45 kg	60 kg	80 kg	100 kg	140 kg
30		109.64	135.36		203.96	197.38
40	136.21	146.22	178.68	210.01	262.74	259.97
50	174.89	182.84	222.74	276.68	328.97	321.90
60	216.06	221.47	268.18	315.39	409.95	
75	262.07	274.79	333.82	395.61	491.47	471.39
100	319.44	363.06	448.06	524.66	680.34	612.94

Knauf Rock Mineral Wool Building Slabs – Foil Faced

 Price in £ per m²

THICKNESS mm	SLAB DENSITY					
	33 kg	45 kg	60 kg	80 kg	100 kg	140 kg
30		283.00	335.14		402.91	526.67
40	362.99	346.27	380.25	428.56	472.50	629.74
50	404.21	382.15	426.53	482.82	540.38	737.74
60	446.84	419.95	473.81	538.61	607.55	
75	476.61	473.37	543.05	622.90	708.18	999.29
100	555.59	561.39	662.79	757.31	875.22	1258.47

Knauf Rock Mineral Wool Duct Slab

 Price in £ per m²

THICKNESS mm	SLABS PER PACK	m ² PER PACK	PRICE
40	8	5.76	346.27
50	8	5.76	382.15

Slab size 1200mm x 600mm

Knauf Power-teK WM640 Galvanside Wired Mat (80kg/m³)

THICKNESS mm	ROLL SIZE	ROLL AREA (m ²)	PRICE (IN £ PER m ²)
30	1m x 6.0m	6.00	185.09
40	1m x 5.5m	5.50	210.41
50	1m x 4.0m	4.00	263.07
60	1m x 3.5m	3.50	312.73
70	1m x 3.5m	3.50	366.74
80	1m x 3.0m	3.00	418.71
90	1m x 2.5m	2.50	471.38
100	1m x 2.5m	2.50	523.84
120	1m x 2.5m	2.50	628.67

Knauf Power-teK WM660 Galvanside Wired Mat (100kg/m³)

THICKNESS mm	ROLL SIZE	ROLL AREA (m ²)	PRICE (IN £ PER m ²)
30	1m x 6.0m	6.00	206.25
40	1m x 5.0m	5.00	259.68
50	1m x 4.0m	4.00	310.02
60	1m x 3.0m	3.00	363.29
70	1m x 2.5m	2.50	423.56
80	1m x 2.5m	2.50	472.50
90	1m x 2.0m	2.00	531.90
100	1m x 2.0m	2.00	541.65
120	1m x 2.0m	2.00	678.10

FEBRUARY 2026

Rockwool Rocklap H&V Pipe Insulation

Price in £ per linear metre

NOMINAL O/D mm	NOMINAL WALL THICKNESS mm						50	60
	20	25	30	35	40			
17	62.60	70.76	93.04	–	116.21		–	–
21	65.61	73.38	96.39	–	119.39		177.94	–
27	69.69	80.28	103.63	–	123.98		180.23	–
34	75.71	87.21	108.62	–	135.48		191.53	–
42	85.05	96.39	119.20	–	143.78		200.21	328.97
48	89.68	103.63	123.45	–	151.56		210.10	345.23
54	96.39	111.95	135.48	–	164.65		225.33	352.32
60	102.04	119.20	143.10	–	175.09		238.24	362.74
67	–	157.77	164.65	–	190.30		253.10	375.84
76	–	160.60	169.62	–	195.95		256.80	391.94
80	–	183.93	241.59	–	271.84		346.66	408.74
89	–	171.02	183.59	–	211.51		278.74	418.65
102	–	–	–	–	259.99		–	–
108	–	188.19	223.37	–	265.49		350.53	–
114	–	194.73	234.88	–	278.40		362.93	498.58
127	–	273.45	271.46	–	345.76		357.95	–
133	–	–	274.13	–	–		422.53	–
140	–	226.93	264.76	–	312.37		401.65	557.29
159	–	331.79	294.30	–	322.07		449.40	554.11
169	–	271.14	312.37	–	371.04		472.76	612.13
194	–	–	–	–	–		512.72	–
219	–	354.62	404.30	–	466.57		595.14	924.10
245	–	–	–	–	–		–	–
253	–	–	–	–	1038.18		1099.35	1147.66
273	–	985.48	853.53	–	904.99		832.12	870.86
305	–	–	–	–	1132.80		–	–
324	–	–	1095.32	–	1146.43		921.82	1038.00
356	–	–	1111.22	–	1201.41		1067.53	–
406	–	–	–	–	–		–	–

Standard lengths 1.0m

Standard Nominal Density 120kg

Rockwool Rocklap H & V Pipe Section Packing List

(Metres per Carton)

NOMINAL O/D mm	NOMINAL WALL THICKNESS mm							
	20	25	30	40	50	60	80	100
17	42	30	25	16	–	–	–	–
21	36	30	20	13	9	–	–	–
27	30	25	20	12	9	–	–	–
34	25	20	16	9	7	–	–	–
42	20	16	12	9	6	–	–	–
48	16	15	12	9	6	–	–	–
54	16	12	10	8	5	–	–	–
60	12	11	9	6	5	–	–	–
67	–	9	9	6	4	–	–	–
76	–	9	7	5	4	–	–	–
80	–	–	–	–	–	–	–	–
89	–	6	6	4	–	–	–	–
102	–	–	–	–	–	–	–	–
108	–	4	4	–	–	–	–	–
114	–	4	4	–	–	–	–	–
127	–	4	–	–	–	–	–	–

*All other sizes are supplied individually wrapped

Rockwool Foil Faced Ductwrap

Rockwool Ductwrap
Reinforced Aluminium Foil Faced
Fire behaviour: Non combustible, Euroclass A1 to EN 13501-1
Thermal conductivity: [10°C] = 0.034 W/Mk Rockwool Ductwrap
Reinforced Aluminium Foil Faced

THICKNESS	ROLL SIZE	ROLL AREA (m ²)	PRICE IN £ PER m ²
25	1 × 5 m (2no)	10.00	90.85
40	1 × 4 m (2no)	8.00	114.12
50	1 × 5 m (2no)	5.00	131.94

Rockwool Foil Faced Ductslab

Rockwool Ductslab
Reinforced Aluminium Foil Faced
Fire behaviour: Non combustible, Euroclass A1 to EN 13501-1
Thermal conductivity: [10°C] = 0.035 W/Mk

THICKNESS	SLAB SIZE	PACK SIZE	PRICE IN £ PER m ²
40	1000 × 600 mm	6.00	131.11
50	1000 × 600 mm	4.80	154.42

Rockwool Techtube (5kg/m² Polymeric)

Techtube is a laminate product comprising of ROCKWOOL
Acoustic Membrane and reinforced foil

Price in £ per linear metre

NOMINAL O/D mm	NOMINAL WALL THICKNESS mm			
	25	30	40	50
159	P.O.A.	P.O.A.	P.O.A.	P.O.A.
169	P.O.A.	P.O.A.	P.O.A.	P.O.A.
219	P.O.A.	P.O.A.	P.O.A.	P.O.A.
273	P.O.A.	P.O.A.	P.O.A.	P.O.A.
324	P.O.A.	P.O.A.	P.O.A.	P.O.A.

Rockwool DuoDuct External Ductslab

DuoDuct is a dual-density stone wool slab with an aluminium foil facing,
and has been designed for use on rectangular or square external ductwork.
It is suitable for use with self-adhered external duct membranes.

Price in £ per m²

Thickness (mm)	Slabs per pallet	m ² per pallet	Price
50	24	57.6	175.17

Slab size: 2000 × 1200 mm

SUPERLAG Prime Flexilag

Acoustic insulation for ductwork, pipes, enclosures and similar applications

Glass Fibre Density: 16 - 24kg/m³ nominal

Reinforced Aluminium Foil Faced


Fire behaviour: Euroclass C- s1, d2 to EN 13501-1

Service temperature: -30 to 100 °C

Low Thermal Conductivity

Price per sheet

PRODUCT CODE	PRODUCT/DESCRIPTION	SIZE	PRICE
SUPERLAG525	5kg Barrier - 20mm Nom. Thickness	2m x 1.2m	74.23
SUPERLAG550	5kg Barrier - 37mm Nom. Thickness	2m x 1.2m	143.71
SUPERLAG1025	10kg Barrier - 25mm Nom. Thickness	2m x 1.2m	98.93
SUPERLAG1050	110kg Barrier - 40mm Nom. Thickness	2m x 1.2m	178.09



Acoustic Barrier

POLYMERIC BARRIER (AVAILABLE WITH OPTIONAL CLASS 'O' FACING OR SELF ADHESIVE BACKING)

Price per sheet

PRODUCT CODE	PRODUCT/DESCRIPTION	SIZE	PRICE
TB5	5 kg/m ² Acoustic Barrier	2m x 1.2m	37.59
TB10	10 kg/m ² Acoustic Barrier	2m x 1.2m	76.54

Class 'O' Acoustic Foam

OPEN CELL CLASS 'O' FOAM (AVAILABLE WITH OPTIONAL SELF ADHESIVE BACKING)

Price per sheet

PRODUCT CODE	PRODUCT/DESCRIPTION	SIZE	PRICE
TCOF25	25mm Thickness	2m x 1.2m	59.42
TCOF50	50mm Thickness	2m x 1.2m	118.81

FEBRUARY 2026

Acoustic Rainwater & Soil Pipe Insulation

Armaceil ArmaComfort Range

ArmaComfort is a multi-layer product, that combines the acoustic performance of a flexible 2mm acoustic barrier and a 9mm elastomeric damping foam 4 kg/m³.

ArmaComfort is available as a plain faced product, but is also supplied with either a self-adhesive backing or an aluminium foil facing.



Price in £ per m²

ArmaComfort AB Plus Sheet - Plain Backed/Plain Faced

Reaction to fire: C - s2, d0

Weighted Sound Reduction: 26 dB

THICKNESS (mm)	SHEET SIZE (mm)	SHEET AREA (m ²)	PRICE
11 mm	2000 × 1000	2	311.04

ArmaComfort AB ALU Plus Sheet - Plain Backed/Aluminium Foil Faced

Reaction to fire: B - s1, d0

Weighted Sound Reduction: 24.5 dB

THICKNESS (mm)	SHEET SIZE (mm)	SHEET AREA (m ²)	PRICE
11 mm	2000 × 1000	2	379.40

ArmaComfort AB Plus Sheet - Self-Adhesive Backing/Plain Faced

Reaction to fire: C - s2, d0

Weighted Sound Reduction: 26 dB

THICKNESS (mm)	SHEET SIZE (mm)	SHEET AREA (m ²)	PRICE
11 mm	2000 × 1000	2	372.27

Price in £ per roll

ArmaComfort AB Self-Adhesive Tape

THICKNESS (mm)	ROLL SIZE (mm)	ROLLS PER CARTON	PRICE
0.23 mm	30 mm × 25 m	30	160.19

BOSTIK BUTYL THERMAL ACOUSTIC WRAP



- Self-Adhesive
- Lightweight
- Fire Classification EN13501-1
- Acoustic tested to ISO 10140-2
- Designed for use on Rainwater & Soil Pipes
- 4.5 mm Thick
- Up to 20% quicker to install

	UNIT	PRICE £
Bostik W110 Butyl Alu. Thermal Acoustic Wrap – (500 mm × 4.5 m)	Roll	173.14

SIS-Wrap P.I.R. Foiled Slotted Section

PIR SECTIONS – FOILED

Price in £ per linear metre

NOMINAL O/D	NOMINAL WALL THICKNESS mm			
	25	30	40	50
100	55.94	63.74	81.02	101.58
102	54.73	62.40	79.48	99.85
108	56.78	64.64	82.10	102.77
114	58.96	66.95	84.63	105.69
125	64.77	73.19	91.71	113.66
127	63.52	71.85	90.18	111.99
140	68.07	76.75	95.77	118.29
150	73.52	82.56	102.43	125.85
160	77.12	86.32	106.66	130.67
168	77.93	87.30	107.74	131.95
200	91.86	102.21	124.66	151.09
219	95.91	106.54	129.62	156.71
225	100.32	111.25	134.96	162.78
250	109.41	121.03	146.05	175.40
273	114.86	126.88	152.71	182.91
300	127.04	139.94	167.55	199.75
315	132.31	145.59	173.99	206.98
324	132.83	146.15	174.59	207.69
355	152.99	161.18	191.74	227.14
400	169.43	178.15	210.98	248.99
406	161.69	177.04	209.70	247.57
450	187.77	196.99	232.46	273.33
457	179.64	196.30	231.56	272.37
500	206.12	215.88	253.86	297.58
508	197.64	215.54	253.45	297.11
559	215.54	234.71	275.29	321.88
600	242.76	253.59	296.69	346.23
610	233.52	253.93	297.11	346.67
630	253.72	264.92	309.57	360.76
710	259.46	282.49	330.96	386.42
762	273.88	298.01	348.68	406.59
800	289.72	315.00	368.03	428.71
900	324.11	351.99	410.38	476.83
914	324.93	352.94	411.34	478.01
1000	357.70	388.12	451.57	523.83

All sections are supplied in 1.2m lengths

FEBRUARY 2026

SIS-Wrap P.I.R. Weatherclad Slotted Section

PIR SECTIONS IN WHITE, BLACK OR SMOOTH

Price in per linear metre

NOMINAL O/D mm	NOMINAL WALL THICKNESS mm			
	25	30	40	50
100	117.72	129.27	154.06	182.02
108	119.59	131.14	156.11	184.16
114	124.01	135.80	160.96	189.43
125	136.23	148.41	174.45	203.81
127	133.61	145.76	171.57	200.75
133	138.13	150.31	176.50	205.99
140	143.29	155.69	182.15	212.03
150	154.76	167.55	194.80	225.54
160	162.18	175.18	202.94	234.29
168	164.01	177.10	204.96	236.43
194	183.27	196.99	226.15	259.15
200	193.24	207.26	237.20	270.85
219	201.77	216.13	246.55	280.86
225	211.01	225.71	256.74	291.77
245	221.03	235.97	267.72	303.47
250	230.32	245.58	277.92	314.40
273	241.76	257.41	290.54	327.89
298	260.27	279.23	310.92	349.69
300	267.31	283.80	318.68	357.93
315	278.42	295.22	330.88	371.03
324	279.51	296.42	332.11	372.34
355	309.15	327.01	364.75	407.11
400	342.49	361.48	401.41	446.38
406	340.23	359.15	398.95	443.76
450	379.48	399.73	442.16	489.94
457	377.97	398.16	440.51	488.14
500	416.53	437.94	482.88	533.48
508	415.81	437.19	482.08	532.59
559	453.52	476.23	523.67	577.00
600	490.55	514.44	564.38	620.55
610	491.29	515.18	565.21	621.41
630	512.73	537.42	588.86	646.64
710	558.12	584.51	639.59	701.59
762	589.15	616.66	673.87	738.24
800	623.13	651.76	711.32	778.27
900	697.20	728.35	792.99	865.69
914	698.97	730.18	795.04	867.88
1000	769.43	803.00	872.73	951.01

All sections are supplied in 1.2m lengths

SIS-Wrap Phenolic Foiled Slotted Section

PHENOLIC SECTIONS – FOILED

Price in per linear metre

NOMINAL O/D mm	25	30	35	40
100	68.02	79.66	92.82	105.63
102	66.54	78.05	91.00	103.64
108	69.08	80.86	94.13	107.01
114	71.68	83.70	97.22	110.32
125	78.76	91.46	105.77	119.58
127	77.23	89.84	103.95	117.65
140	82.83	95.93	110.71	124.89
150	89.40	103.25	118.73	133.52
160	93.73	107.93	123.94	139.09
168	94.77	109.14	125.22	140.48
200	111.65	127.74	145.70	162.56
219	116.58	133.19	151.66	168.99
225	121.97	139.09	158.16	175.98
250	133.07	151.38	171.66	190.55
273	139.74	158.65	179.70	199.16
300	154.42	174.93	197.56	218.42
315	160.88	182.02	205.35	226.85
324	161.52	182.71	206.14	227.69
355	178.61	201.53	226.85	250.03
400	197.89	222.75	250.19	275.17
406	196.63	221.39	248.65	273.52
450	219.26	246.35	276.10	303.14
457	218.42	245.37	275.07	301.96
500	240.67	269.92	302.07	331.02
508	240.25	269.44	301.50	330.49
559	262.05	293.52	327.96	359.00
600	283.50	317.10	353.87	386.94
610	283.90	317.51	354.44	387.50
630	296.31	331.25	369.45	403.66
710	320.73	359.00	400.87	438.20
762	338.54	378.74	422.61	461.67
800	358.10	400.28	446.38	487.27
900	400.60	447.30	498.25	543.27
914	401.67	448.44	499.53	544.63
1000	442.09	493.19	548.85	597.89

All sections are supplied in 1.2m lengths

FEBRUARY 2026

SIS-Wrap Phenolic Weatherclad Slotted Section

PHENOLIC SECTIONS IN WHITE, BLACK OR SMOOTH SILVER

Price in per linear metre

NOMINAL O/D	25	30	35	40
100	127.53	143.41	160.91	178.00
108	129.52	145.55	163.17	180.34
114	134.30	150.63	168.52	185.97
125	147.58	164.63	183.38	201.51
127	144.76	161.63	180.18	198.20
133	149.58	166.76	185.62	203.88
140	155.17	172.66	191.88	210.45
150	167.59	185.80	205.85	225.03
160	175.63	194.30	214.80	234.43
168	177.62	196.42	217.07	236.80
194	198.51	218.52	240.40	261.28
200	209.30	229.95	252.52	274.05
219	218.56	239.71	262.87	284.90
225	228.54	250.28	274.12	296.65
245	239.36	261.76	286.24	309.35
250	249.40	272.40	297.52	321.11
273	261.82	285.52	311.41	335.72
298	281.84	306.74	333.86	359.23
300	289.45	314.78	342.44	368.21
315	301.53	327.56	355.93	382.29
324	302.70	328.79	357.28	383.71
355	334.82	362.71	393.23	421.40
400	370.87	400.90	433.68	463.74
406	368.50	398.38	430.94	460.94
450	411.02	443.37	478.59	510.86
457	409.36	441.65	476.80	508.96
500	451.10	485.80	523.50	557.90
508	450.28	484.91	522.61	556.98
559	491.15	528.19	568.49	605.02
600	531.24	570.62	613.42	652.06
610	532.08	571.44	614.31	653.01
630	555.30	596.09	640.38	680.33
710	607.44	651.72	699.92	743.20
762	641.24	687.55	737.83	782.94
800	678.20	726.69	779.33	826.51
900	758.79	812.04	869.91	921.39
914	760.79	814.18	872.09	923.72
1000	837.40	895.32	958.24	1014.04

All sections are supplied in 1.2m lengths

Isover ULTIMATE™ Protect Slabs (Black Foil Faced)

Fire Protection Insulation for Rectangular Ductwork
Tested to EN 1366-1 and EN 1366-8

Price in £ per m²

PRODUCT	THICKNESS (mm)	SLABS PER PACK	m ² PER PACK	m ² PER PALLET	PRICE
U Protect Slab 4.0 Alu1	30	13	9.36	112.32	112.83
U Protect Slab 4.0 Alu1	40	10	7.20	76.40	130.49
U Protect Slab 4.0 Alu1	50	8	5.76	69.12	138.54
U Protect Slab 4.0 Alu1	60	6	4.32	51.84	143.12
U Protect Slab 4.0 Alu1	70	5	3.60	43.20	244.28
U Protect Slab 4.0 Alu1	80	5	3.60	43.20	292.46
U Protect Slab 4.0 Alu1	90	4	2.88	34.56	311.06
U Protect Slab 4.0 Alu1	100	4	2.88	34.56	362.60

Board Size: 1200 × 600mm
External Face: Black Aluminium Foil Facing

Isover ULTIMATE™ Protect Wired Mats (Black Foil Faced)

Fire Protection Insulation for Circular Ductwork
Tested to EN 1366-1 and EN 1366-8

Price in £ per m²

PRODUCT	THICKNESS (mm)	SLABS PER PACK	m ² PER PACK	m ² PER PALLET	PRICE
U Protect Wired Mat 4.0 Alu1	50	2	7.20	129.60	200.58
U Protect Wired Mat 4.0 Alu1	60	2	6.00	108.00	240.70
U Protect Wired Mat 4.0 Alu1	75	2	4.80	86.40	292.46
U Protect Wired Mat 4.0 Alu1	80	2	4.44	79.92	306.54
U Protect Wired Mat 4.0 Alu1	100	2	3.60	64.80	373.33
U Protect Wired Mat 4.0 Alu1	120	2	3.00	54.00	400.00

Roll Size (50mm): 600mm Wide 6000mm Long 2 Rolls Per Pack
 Roll Size (60mm): 600mm Wide 5000mm Long 2 Rolls Per Pack
 Roll Size (75mm): 600mm Wide 4000mm Long 2 Rolls Per Pack
 Roll Size (80mm): 600mm Wide 3700mm Long 2 Rolls Per Pack
 Roll Size (100mm): 600mm Wide 3000mm Long 2 Rolls Per Pack
 Roll Size (120mm): 600mm Wide 2500mm Long 2 Rolls Per Pack

Isover ULTIMATE™ Protect Accessories

Price in £ each

PRODUCT	UNIT	QUANTITY	PRICE
Fireprotect Screws – 140mm	Box	500	674.99
Fireprotect Screws – 200mm	Box	200	346.33
Protect Adhesive – 15kg	Tub		451.25
Protect Adhesive – 310ml	Tube	Box of 12	431.44
Protect BSF Intumescent Paint – 15kg	Tub		2112.84
Protect BSF Intumescent Paint – 310ml	Box	Box of 12	1461.46
U Protect Black Tape (90mm × 100m)	Roll	Box of 12	616.42

FEBRUARY 2026

Rockwool FPL Slab

 Price in £ per m²

THICKNESS (mm)	FACING	m ² PER PACK	m ² PER PALLET	PRICE
50	PLAIN	3.60	57.60	P.O.A *
50	FOILED	3.60	57.60	P.O.A *

* This product is subject to a minimum order quantity of 6 pallets

Rockwool Fire Stopping Products

DESCRIPTION	UNIT	PRICE £
Rockwool Ablative Coated Batt 1200 x 600 x 50mm	Each	58.28
Rockwool Ablative Liquid - 5ltr	Each	109.64
Rockwool Acoustic Intumescent Sealant - 310ml	Tube	11.35
Rockwool Intumescent Pipewrap Roll - 25m	Roll	928.12
Rockwool Intumescent Pipewrap - 55mm O/D	Each	16.52
Rockwool Intumescent Pipewrap - 63mm O/D	Each	17.77
Rockwool Intumescent Pipewrap - 82mm O/D	Each	24.67
Rockwool Intumescent Pipewrap - 110mm O/D	Each	30.27
Rockwool Intumescent Pipewrap - 125mm O/D	Each	40.68
Rockwool Intumescent Pipewrap - 160mm O/D	Each	73.16
Rockwool FIREPRO Glue - 17 kg	Tub	248.62

Rockwool Firepro Insulated Fire Sleeves

Insulated Fire Sleeves that provide up to 2 hours of fire resistance

Supplied with an integral vapour barrier, and maintains pipe insulation at penetration points

NOMINAL OD (mm)	THICKNESS (mm)	LENGTH (mm)	UNIT	PRICE
17	25	300	EACH	75.40
21	25	300	EACH	78.01
27	25	300	EACH	83.88
34	25	300	EACH	86.80
42	25	300	EACH	92.51
48	25	300	EACH	95.61
54	25	300	EACH	97.06
60	25	300	EACH	98.31
67	25	300	EACH	101.23
76	25	300	EACH	105.47
80	25	300	EACH	108.64
89	25	300	EACH	120.06
102	25	300	EACH	126.62
108	25	300	EACH	130.11
114	25	300	EACH	137.47
127	25	300	EACH	148.31
140	25	300	EACH	155.46
160	25	300	EACH	171.50
169	25	300	EACH	173.72

Rockwool Fire Duct Slab

Price in £ per m²

Thickness (mm)	Slabs per pallet	m ² per pallet	Price
40	30	72.00	269.95
50	24	57.60	P.O.A *
60	20	48.00	380.50
90	12	28.80	581.07

* 50 & 60 mm are a special order, and would be subject to a minimum order quantity.

Slab size: 2000 × 1200mm

Supplied as standard with a factory applied aluminium foil facing.

ROCKWOOL Fire Duct System

As of 30th March 2023 Rockwool have withdrawn their BS test support on this product. The product is still available, but Rockwool will no longer offer any testing on the Fireduct system. To ensure that this product is suitable to provide the fire protection solution required, please confirm with the duct manufacturer/system holder that they have the appropriate coverage within their scope of testing/assessments for the intended use and performance required, before installing.

FIRE DUCT



Rockwool DuctRock Slab

Price in £ per m²

Thickness (mm)	Slabs per pallet	m ² per pallet	Price
60	42	50.40	350.65
80	32	38.40	P.O.A *
90	24	28.80	654.15

Slab size: 1200 × 1000mm

Rockwool FIREPRO DuctRock Slab is tested to BS EN 1366: Part 1 and BS EN 1366: Part 8 and can achieve fire ratings of EI30 to EI120 with only 3 thicknesses. Supplied as standard with a factory applied black foil facing.

DUCTROCK



Rockwool Black Alu Foil Tape

Price in £ per roll

Width	Rolls per box	Roll length	Price
75mm	16	50m	118.10

Rockwool U - Profile

Price in £ per roll

Width	Pieces per pack	Length	Price
60mm	4	1500mm	264.50

FEBRUARY 2026

Rockwool Fire Duct Section

Fire Duct Section

Price in £ per linear metre – supplied in 1.0m lengths

Nominal Bore O/Dmm		NOMINAL WALL THICKNESS mm	
		40	90
17	Foil Faced	104.44	
76	Foil Faced		517.43
102	Foil Faced	224.31	770.39
108	Foil Faced	218.95	710.96
114	Foil Faced	237.70	659.76
127	Foil Faced	254.65	701.01
140	Foil Faced	270.37	727.48
159	Foil Faced	299.17	782.34
169	Foil Faced	318.87	811.33
194	Foil Faced	370.21	900.40
205	Foil Faced	386.15	935.08
219	Foil Faced	403.10	969.13
253	Foil Faced	449.60	1064.46
305	Foil Faced	521.48	1211.21
318	Foil Faced	539.51	1246.60
356	Foil Faced	605.99	1376.30

Fire Duct Section is a Made to Order Product

Fire Duct Section – Packing Spec	
O/D MM	40mm Thick
17mm	16

All other sizes are sold in single lengths and are individually shrink wrapped

Fire Duct Slotted PSM

Nominal Bore O/Dmm		NOMINAL WALL THICKNESS mm	
		40	90
406	Foil Faced	582.86	1395.65
419	Foil Faced	599.02	1427.29
456	Foil Faced	644.55	1518.72
508	Foil Faced	697.14	1648.33
558	Foil Faced	757.83	1763.05
610	Foil Faced	820.59	1894.34
660	Foil Faced	885.68	2013.20
712	Foil Faced	948.14	2054.55
762	Foil Faced	1007.92	2257.36
813	Foil Faced	1068.87	2383.01
864	Foil Faced	1129.87	2505.53
914	Foil Faced	1189.65	2625.82
1200	Foil Faced	1565.25	3690.92
1250	Foil Faced	1582.06	3730.43

Fire Duct PSM is a Made to Order Product

Kingspan Kooltherm FM Duct Insulation

RIGID INSULATION FOR HVAC DUCTWORK INSTALLED INDOORS AND OUTDOORS

Price in £ per m²

THICKNESS mm	BOARDS PER PACK	m ² PER PACK	PRICE
25	20	14.40	47.99
30	16	11.52	53.82
40	12	8.64	65.67
50	10	7.20	79.14

Board Size: 1200 × 600 mm
 External Face: Reinforced Aluminium Vapour Barrier Foil
 Internal Face: Glass Tissue Based Facing
 40 mm & 50 mm ARE A SPECIAL ORDER PRODUCT AND SUBJECT TO A MINIMUM ORDER QUANTITY.

POLYISOCYANURATE

Kingspan Therma Duct Insulation

RIGID INSULATION FOR HVAC DUCTWORK INSTALLED OUTDOORS

Price in £ per m²

THICKNESS mm	BOARDS PER PACK	m ² PER PACK	PRICE
25	12	34.56	68.21
30	10	28.80	76.51
40	8	23.04	93.32
50	6	17.28	112.52

Board Size: 2400 × 1200 mm
 External Face: Trilaminate Aluminium Foil
 Internal Face: Trilaminate Aluminium Foil



Kingspan Kooltherm FM Pipe Insulation

O/D (mm)	CARTON QUANTITIES				
	WALL 15 mm	WALL 20 mm	WALL 25 mm	WALL 30 mm	WALL 40 mm
15	112	80	54	36	–
18	–	–	–	–	–
21	84	63	40	32	22
27	70	48	35	30	20
34	53	45	32	24	15
42	45	32	24	20	14
48	34	30	23	20	12
54	33	24	20	15	12
60	24	23	18	15	11
67	24	20	15	12	9
76	20	15	12	11	8
89	12	12	11	9	6
108	10	9	8	6	6
114	14	14	10	10	7
140	12	14	9	7	6
168	8	7	6	5	4
219	–	–	4	4	3
273	–	–	–	–	–

Kingspan Kooltherm Fire Sleeves

N.B		O.D (mm)	INSULATION THICKNESS (mm)			
(in)	(mm)		20	25	30	35
0.5	15	21	83.56	95.87	115.54	–
0.75	20	27	90.40	96.23	116.16	–
1	25	34	97.50	104.57	117.07	–
1.25	32	42	107.01	112.78	118.13	–
1.5	40	48	113.15	119.88	126.73	–
2	50	60	126.57	133.72	140.29	–
2.5	65	76	147.04	152.25	157.93	–
3	80	89	160.87	167.04	179.45	–
4	100	114	195.25	202.07	207.91	241.66
5	125	140	226.84	233.10	241.13	250.97
6	150	168	260.61	268.10	274.77	316.16

COPPER SIZE			INSULATION THICKNESS (mm)			
		O.D (mm)	20	25	30	35
		15	78.59	90.44	102.62	–
		22	83.56	95.87	115.54	–
		28	90.40	96.23	116.19	–
		35	97.50	104.57	117.07	–
		42	107.01	112.78	118.13	–
		54	118.39	123.09	130.52	–

FEBRUARY 2026

Kingspan Kooltherm FM H&V Phenolic Pipe Insulation

FOILED SECTIONS AND LAGS
STEEL PIPES

Price in £ per linear metre

BORE mm	O.D. mm	FOAM THICKNESS mm											
		15 Section	20 Section	25 Section	25 Lag	30 Section	30 Lag	35 Section	35 Lag	40 Section	40 Lag	50 Section	50 Lag
10	17	17.21	20.79	23.95	–	30.91	–	35.51	–	42.74	–	49.86	–
15	21	18.02	21.36	25.45	–	33.39	–	37.75	–	46.16	–	54.57	–
20	27	19.86	22.83	26.89	–	35.51	–	42.42	–	47.91	–	58.53	–
25	34	21.56	26.63	32.14	–	42.74	–	50.85	–	59.00	–	72.32	–
32	42	25.01	29.64	36.39	–	47.00	–	58.46	–	69.90	–	84.66	–
40	48	26.20	32.62	37.86	–	50.88	–	62.02	–	73.31	–	93.82	–
50	60	36.06	42.08	51.05	–	55.19	–	68.93	–	82.87	–	101.50	–
65	76	39.23	50.46	60.63	–	64.88	–	80.81	–	93.79	–	109.92	–
80	89	45.79	53.32	64.58	–	71.24	–	87.77	–	99.78	–	121.21	–
90	102				–		–		–				
100	114	–	64.26	77.97	–	91.21	–	107.88	–	124.57	–	147.21	–
114	127	–			–		–		–		–		–
125	140	–	81.67	99.13	–	122.57	–	141.39	–	159.00	–	185.72	–
150	168	–	112.17	120.55	–	158.34	–	171.72	–	191.34	–	219.63	–
175	194	–			–		–		–		–		–
200	219	–		175.01	–	196.46	–	222.40	–	242.65	–	286.24	–
–	245	–											
–	273	–						286.11		310.76		362.35	
–	298	–											
–	324	–											
–	356	–											
–	381	–											
–	406	–											
–	432	–											
–	457	–											
–	508	–											
–	559	–											
–	610	–											

COPPER PIPE LIGHT GAUGE

–	15	17.21	20.79	23.95	–	30.91	–	35.51	–	42.74	–	49.86	–
–	22	18.02	21.36	25.45	–	33.39	–	37.75	–	46.16	–	54.57	–
–	28	19.86	22.83	26.89	–	35.51	–	42.42	–	47.91	–	58.53	–
–	35	21.56	26.63	32.14	–	42.74	–	50.85	–	59.00	–	72.32	–
–	42	25.01	29.64	36.39	–	47.00	–	58.46	–	69.90	–	84.66	–
–	54	32.56	34.00	46.12	–	53.09	–	64.83	–	76.59	–	97.42	–
–	67	36.72	45.46	54.12	–	63.02	–	75.55	–	88.18	–	104.61	–
–	80	41.43	50.35	61.46	–	68.48	–	84.36	–	96.62	–	112.98	–
–	93												–
–	108	49.35	57.68	69.17	–	85.11	–	101.46	–	114.72	–	141.58	–
–	133	–			–				–		–		–
–	159	–			–				–		–		–

FEBRUARY 2026

Supaphen Phenolic Foam Cut Pipe Insulation

FOILED SECTIONS AND LAGS
STEEL PIPES

Price in £ per linear metre

BORE mm	O.D. mm	FOAM THICKNESS mm											
		15 Section	20 Section	25 Section	25 Lag	30 Section	30 Lag	35 Section	35 Lag	40 Section	40 Lag	50 Section	50 Lag
10	17	15.32	18.16	21.62	–	29.19	–	33.45	–	40.31	–	47.05	–
15	21	16.23	19.61	22.61	–	31.50	–	35.60	–	43.54	–	51.55	–
20	27	18.74	21.56	25.38	–	33.45	–	39.92	–	45.35	–	55.13	–
25	34	20.31	25.13	30.32	–	40.31	–	47.92	–	55.71	–	68.21	–
32	42	23.59	27.96	34.31	–	44.38	–	55.09	–	65.95	–	79.87	–
40	48	24.72	30.79	35.73	–	47.99	–	58.50	–	69.06	–	88.58	–
50	60	34.01	37.04	48.12	–	52.06	–	65.06	–	78.27	–	95.67	–
65	76	36.95	47.47	57.17	–	61.20	–	76.22	–	88.48	–	103.67	–
80	89	43.19	50.40	60.96	–	67.26	–	82.79	–	94.13	–	114.48	–
90	102	46.52	52.70	63.19	–	75.77	–	89.28	–	102.82	–	132.39	–
100	114	–	60.64	73.59	–	85.98	–	101.73	–	117.56	–	136.23	–
114	127	–	72.97	81.69	–	100.70	–	117.83	–	135.30	–	151.65	–
125	140	–	77.11	93.54	–	115.69	–	133.41	–	149.92	–	175.18	–
150	168	–	105.79	113.69	–	149.30	–	161.98	–	180.51	–	207.23	–
175	194	–	–	147.56	–	161.89	–	180.82	–	208.14	–	230.64	–
200	219	–	–	165.06	–	185.32	–	209.79	–	229.03	–	270.04	–
	245	–	–	189.91	159.85	217.39	204.85	248.15	216.60	274.30	226.10	314.05	258.53
	273	–	–	235.75	177.36	240.59	218.46	264.82	231.82	293.18	241.58	341.85	278.86
	298	–	–	259.77	185.82	265.00	233.30	305.19	252.86	344.58	262.50	368.08	303.06
	324	–	–	287.20	199.85	313.91	253.87	353.22	267.95	381.00	278.24	403.99	332.22
THESE SIZES WILL BE SUPPLIED IN R&B LAGS.	356	–	–	–	221.05	–	260.78	–	283.92	–	290.66	–	344.31
	381	–	–	–	225.47	–	274.68	–	299.24	–	307.43	–	358.86
	406	–	–	–	234.28	–	296.12	–	307.99	–	317.43	–	366.92
	432	–	–	–	247.67	–	299.80	–	324.73	–	334.39	–	384.54
	457	–	–	–	259.31	–	314.83	–	344.00	–	350.91	–	416.27
	508	–	–	–	287.90	–	344.13	–	364.66	–	372.61	–	462.19
	559	–	–	–	312.37	–	387.30	–	398.57	–	407.80	–	486.19
	610	–	–	–	310.85	–	385.62	–	393.55	–	404.49	–	512.41

COPPER PIPE LIGHT GAUGE

–	15	14.90	17.38	21.62	–	24.68	–	32.95	–	39.80	–	46.31	–
–	22	16.40	19.67	22.89	–	31.65	–	35.74	–	43.56	–	52.24	–
–	28	19.07	21.92	25.65	–	35.22	–	41.55	–	46.76	–	57.52	–
–	35	20.56	25.43	31.06	–	41.55	–	48.92	–	56.59	–	68.80	–
–	42	23.58	27.96	34.35	–	44.38	–	55.09	–	65.95	–	79.87	–
–	54	30.63	35.58	43.51	–	50.14	–	61.15	–	72.35	–	91.88	–
–	67	34.79	42.94	51.00	–	59.37	–	71.29	–	83.20	–	98.71	–
–	80	39.03	47.41	57.93	–	64.58	–	79.59	–	91.21	–	106.64	–
–	93	43.92	51.13	61.39	–	70.22	–	83.56	–	98.18	–	114.75	–
–	108	46.48	54.35	65.34	–	80.29	–	95.64	–	108.23	–	133.62	–
–	133	–	74.26	84.32	–	107.27	–	125.73	–	144.81	–	163.13	–
–	159	–	95.64	106.10	–	128.17	–	150.99	–	171.16	–	185.70	–

Supaphen Packaging Specification

BRIGHT CLASS O COVERED PHENOLIC SECTION

METRES PER CARTON 500 mm × 500 mm × 1000 mm

O.D.	15	20	25	30	40	50
15	100	62	46	33	20	15
17	90	52	36	30	20	12
21	75	52	36	30	20	12
27	56	42	30	25	16	10
34	46	36	25	20	12	10
42	36	30	23	16	12	9
48	30	25	20	16	12	9
54	25	20	16	12	10	–
60	25	20	16	12	9	–
67	20	16	12	12	–	–
76	16	12	12	9	–	–
80	16	12	10	9	–	–
89	12	10	9	8	–	–
102	9	9	8	8	–	–
108	9	9	7	8	–	–
114	9	8	10	8	–	–
140	6	8	6	5	–	–
168	6	6	6	5	–	–
219	4	4	4	–	–	–

Supacel Alumen Phenolic Slab

THICKNESS (mm)	BOARDS PER PACK	m ² PER PACK	PRICE IN £ PER m ² PRICE
20	12	8.64	43.10
25	12	8.64	48.40
30	10	7.20	54.30
40	6	4.32	66.30
50	8	5.76	79.90

1200 × 600 mm 37 kg/m³ Phenolic Slab Foil Faced one side, glass scrim other side

External Face: Reinforced Aluminium Foil

Internal Face: Glass Scrim

Supaphen Phenolic High Density Pipe Supports

Supaphen pipe supports are manufactured from high density phenolic insulation to suit a full range of diameters and thicknesses covering copper, steel and plastic pipes.

Supaphen pipe supports standard specification:

Pipe Size OD	Support Length	Metal Spreader Plate	Max Support Centres	Density (kg/m ³)	Price
15 – 42 mm	100 mm	None	3 m	80	P.O.A
48 – 140 mm	100 mm	1 mm	4 m	80	P.O.A
168 – 273 mm	125 mm	1.5 mm	6 m	120	P.O.A
298 – 457 mm	200 mm	2 mm	6 m	120	P.O.A

FEBRUARY 2026

Supaphen Phenolic Foam Pipe Insulation

Pre-Covered in Proclad

(Available in Silver/White/Black/Silver Embossed)

O/D mm	THICKNESS mm						
	15 mm	20 mm	25 mm	30 mm	35 mm	40 mm	50 mm
15 mm	34.36	40.92	49.36	58.83	66.77	77.79	91.79
21 mm	36.42	43.47	51.15	62.68	70.56	82.56	98.07
27 mm	41.15	47.49	55.12	66.77	77.51	86.54	104.18
34 mm	45.23	54.03	63.17	76.77	88.52	100.37	120.85
42 mm	51.56	59.75	70.27	83.90	99.10	114.39	136.42
48 mm	54.85	64.89	76.52	89.91	104.86	119.91	147.93
54 mm	61.21	68.31	81.27	94.32	109.62	125.40	153.71
60 mm	68.45	73.57	90.68	98.51	116.06	133.94	159.98
67 mm	71.58	83.95	96.27	108.85	125.27	141.66	165.57
76 mm	77.11	92.09	106.06	113.88	133.74	150.61	174.22
80 mm	80.66	94.98	108.24	118.81	138.74	154.84	178.70
89 mm	88.30	99.54	114.59	124.86	145.40	161.15	185.91
108 mm	98.32	110.38	125.73	143.29	165.96	183.09	217.80
114 mm		119.83	136.86	154.02	174.68	195.50	222.85
140 mm		146.17	168.99	195.40	218.34	239.97	274.62
168 mm		187.36	199.41	241.97	259.28	283.09	319.22
219 mm			276.06	298.91	329.19	353.65	405.65
273 mm					407.97	442.72	495.23

Supplied in 1000mm lengths



FEBRUARY 2026

Class O Armaflex – K-FLEX Tube

SUPPLIED IN 2 METRE LENGTHS

Price in £ per linear metre

NOMINAL PIPE O/D mm	NOMINAL WALL THICKNESS mm					
	6 mm	9 mm	13 mm	19 mm	25 mm	32 mm
6	5.97	6.90	9.39	–	–	–
8	6.82	–	–	–	–	–
10	7.20	7.36	9.93	15.76	–	–
12	7.33	7.47	9.99	16.03	29.75	–
15	7.36	7.75	10.42	17.13	32.94	42.44
18	–	8.95	–	–	–	–
20	8.17	9.51	11.73	19.24	35.58	–
22	8.66	9.74	12.27	20.92	37.06	46.86
28	10.96	10.76	15.28	28.21	41.93	54.62
35	–	12.09	16.52	33.43	47.12	55.32
42	–	13.96	19.68	39.21	50.28	64.20
48	–	17.66	23.95	44.55	57.28	72.94
54	–	20.05	27.66	49.85	59.15	78.70
60	–	23.01	30.63	54.73	62.73	97.27
67	–	–	39.85	59.26	77.63	113.70
76	–	–	43.88	68.23	86.87	131.95
89	–	–	56.43	80.60	95.84	141.37
108	–	–	64.24	96.04	98.28	–
114	–	–	73.06	105.89	107.16	149.59

Class O Armaflex – K-FLEX Sheet

Class O K-flex Continuous Sheet – PLAIN FACED

THICKNESS (mm)	ROLL DIMENSIONS	PACK AREA (m ²)	PRICE IN £ PER m ²
6 mm	1 × 30 m	30	110.61
10 mm	1 × 20 m	20	128.64
13 mm	1 × 14 m	14	132.52
19 mm	1 × 10 m	10	192.97
25 mm	1 × 8 m	8	259.62
32 mm	1 × 6 m	3	350.95

Class O K-flex Continuous Sheet – SELF-ADHESIVE ONE SIDE

6 mm	1 × 30 m	30	165.00
10 mm	1 × 20 m	20	175.22
13 mm	1 × 14 m	14	204.50
19 mm	1 × 10 m	10	261.80
25 mm	1 × 8 m	8	330.41
32 mm	1 × 6 m	3	408.98

Class O Nitrile Self Adhesive Insulation Tape

LENGTH	ROLL WIDTH	THICKNESS	ROLLS PER CARTON	PRICE PER ROLL
15m	50mm	3mm	12 rolls	122.01

AF Armaflex EVO - (Tube)

Packing Spec: Metres/Carton

	6	9	13	19	25	32
6	496	352	200	–	–	–
10	380	266	172	92	–	–
12	330	234	162	84	54	–
15	280	200	122	72	48	32
20	–	140	104	58	38	–
22	–	140	100	56	40	24
28	–	98	82	48	36	24
35	–	76	60	36	24	18
42	–	64	50	32	24	18
48	–	54	42	28	20	18
54	–	52	38	24	18	12
60	–	48	32	24	18	10
67	–	–	34	20	16	12
76	–	–	28	18	12	10
80	–	–	20	16	12	–
89	–	–	20	16	12	10
93	–	–	20	16	12	–
108	–	–	20	16	8	–
114	–	–	20	14	10	8

Armaflex – K-FLEX Selfseal Tube

Price in £ per linear metre

	15	20	22	28	35	42	48	54	60	67	76	89
9mm	10.27	12.79	13.01	13.60	15.47	17.84	22.46	–	–	–	–	–
13mm	12.88	16.07	16.32	19.52	20.72	24.52	30.49	34.60	39.02	54.71	59.85	72.89
19mm	21.64	27.17	27.37	35.86	41.50	49.29	56.18	62.97	70.65	78.71	86.20	99.98
25mm	37.74	41.50	42.43	47.52	51.14	54.43	64.48	67.44	71.54	86.77	94.26	110.43

Nitrile Adhesive

SIZE OF CAN	CARTON CONTENTS	PRICE PER CAN
250ml with brush lid	16 cans	23.75
½ litre	12 cans	40.83
1 litre	6 cans	69.00
5 litre	–	246.19

Notes: Only use Armaflex adhesives on Armacell flexible insulation products. Covering capacity pipe insulation approx 75 linear metres per litre. Covering capacity sheet material 12sq. metres per 5 litre can.

FEBRUARY 2026

Armaflex Class O Tubes Endless (15m Coils)

COIL LENGTH 15m – SUPPLIED IN POLYTHENE BAG

Price in £ per coil

PRODUCT CODE	PRODUCT DESCRIPTION	COILS PER CARTON	PRICE
ARMA6X9BAG	6 mm × 9 mm × 15 m Coil	12	113.76
ARMA10X9BAG	10 mm × 9 mm × 15 m Coil	10	122.21
ARMA12X9BAG	12 mm × 9 mm × 15 m Coil	9	123.42
ARMA15X9BAG	15 mm × 9 mm × 15 m Coil	9	125.03
ARMA20X9BAG	20 mm × 9 mm × 15 m Coil	7	158.49
ARMA22X9BAG	22 mm × 9 mm × 15 m Coil	6	161.35
ARMA28X9BAG	28 mm × 9 mm × 15 m Coil	5	174.65
ARMA6X13BAG	6 mm × 13 mm × 15 m Coil	9	152.86
ARMA10X13BAG	10 mm × 13 mm × 15 m Coil	7	160.53
ARMA12X13BAG	12 mm × 13 mm × 15 m Coil	6	166.17
ARMA15X13BAG	15 mm × 13 mm × 15 m Coil	6	176.67
ARMA20X13BAG	20 mm × 13 mm × 15 m Coil	6	219.82
ARMA22X13BAG	22 mm × 13 mm × 15 m Coil	5	246.07
ARMA28X13BAG	28 mm × 13 mm × 15 m Coil	4	293.61



Armaflex Class O Air Conditioning Coils (Boxes)

SUPPLIED IN A SPECIALLY DESIGNED CARTON FOR EASY DISPENSING

Price in £ per coil

PRODUCT CODE	PRODUCT DESCRIPTION	METRES PER BOX	PRICE
ARMA6X9BOX	6 mm × 9 mm	70	530.79
ARMA10X9BOX	10 mm × 9 mm	50	407.39
ARMA12X9BOX	12 mm × 9 mm	45	370.28
ARMA15X9BOX	15 mm × 9 mm	40	333.40
ARMA20X9BOX	20 mm × 9 mm	34	359.30
ARMA22X9BOX	22 mm × 9 mm	30	322.68
ARMA28X9BOX	28 mm × 9 mm	26	302.73
ARMA6X13BOX	6 mm × 13 mm	45	458.59
ARMA10X13BOX	10 mm × 13 mm	35	374.58
ARMA12X13BOX	12 mm × 13 mm	32	354.50
ARMA15X13BOX	15 mm × 13 mm	32	376.84
ARMA20X13BOX	20 mm × 13 mm	28	410.32
ARMA22X13BOX	22 mm × 13 mm	26	426.47
ARMA28X13BOX	28 mm × 13 mm	20	391.53

HT Armaflex (for High Temperature & Solar Applications)

UV RESISTANT SYNTHETIC EPDM RUBBER

Price in £ per mtr

PRODUCT CODE	PRODUCT DESCRIPTION	METRES PER CARTON	PRICE
ARMA10X9HT	10 × 10mm Tube (2m)	192	5.82
ARMA12X9HT	12 × 10mm Tube (2m)	172	5.67
ARMA15X9HT	15 × 10mm Tube (2m)	144	6.14
ARMA18X9HT	18 × 10mm Tube (2m)	130	6.76
ARMA22X9HT	22 × 10mm Tube (2m)	108	7.45
ARMA28X9HT	28 × 10mm Tube (2m)	82	9.30
ARMA35X9HT	35 × 10mm Tube (2m)	60	10.41
ARMA42X9HT	42 × 10mm Tube (2m)	50	10.95
ARMA10X13HT	10 × 13mm Tube (2m)	140	7.47
ARMA12X13HT	12 × 13mm Tube (2m)	130	7.62
ARMA15X13HT	15 × 13mm Tube (2m)	112	8.26
ARMA18X13HT	18 × 13mm Tube (2m)	98	9.78
ARMA22X13HT	22 × 13mm Tube (2m)	84	10.50
ARMA28X13HT	28 × 13mm Tube (2m)	64	12.46
ARMA35X13HT	35 × 13mm Tube (2m)	50	14.61
ARMA42X13HT	42 × 13mm Tube (2m)	40	16.02
ARMA48X13HT	48 × 13mm Tube (2m)	32	20.65
ARMA54X13HT	54 × 13mm Tube (2m)	32	21.33
ARMA60X13HT	60 × 13mm Tube (2m)	28	23.93
ARMA76X13HT	76 × 13mm Tube (2m)	24	35.72
ARMA89X13HT	89 × 13mm Tube (2m)	18	44.91

Armaflex Nitrile Cleaner

Price in £ per can

SIZE OF CAN	CARTON CONTENTS	PRICE PER CAN
1 litre	6 cans	30.34

Notes: To be used to clean tools etc. used for the application of Armaflex Adhesive.

Armaflex Nitrile FR Paint

Price in £ per can

COLOURS	SIZE OF CAN	CARTON CONTENTS	PRICE PER CAN
White	2.5 litres	4	317.57
Grey	2.5 litres	4	317.57

Notes: Whenever Armaflex is used out of doors it must be painted with at least two coats of Armafinish paint to protect it from ozone attack, airborne chemicals and uv radiation. Covers approx. 3-6 sq. metres per litre per coat.

PVC Tape – Black & Grey

Price in £ per roll

PRODUCT CODE	PRODUCT DESCRIPTION	UNIT	PRICE
–	25 mm × 33m	Roll	5.58
–	50 mm × 33m	Roll	11.30
–	75 mm × 33m	Roll	16.15

FEBRUARY 2026

Tubolit – K-FLEX PE

Price in £ per linear metre

REF.	TUBOLIT/ CLIMAFLEX I.D. SIZE (NOM) mm	PIPE NOMINAL BORE		CONTENTS PER CARTON		PRICE
		COPPER IN	IRON IN	2 METRE LENGTHS	1 METRE LENGTHS	
15 × 9	15	½	–	380	190	6.42
22 × 9	22	¾	½	250	125	8.44
28 × 9	28	1	¾	190	95	10.06
• 35 × 9	35	1¼	1	150	75	12.19
• 42 × 9	42	1½	1¼	110	–	13.60
• 48 × 9	48	–	1½	90	–	19.11

13 mm WALL NOMINAL (SEMI-SLIT)

15 × 13	15	½	–	256	128	7.57
22 × 13	22	¾	½	180	90	9.77
28 × 13	28	1	¾	140	70	11.78
35 × 13	35	1¼	1	120	60	14.08
42 × 13	42	1½	1¼	90	–	15.92
48 × 13	48	–	1½	70	–	22.02
54 × 13	54	2	–	66	–	23.09
60 × 13	60	–	2	56	–	25.43
76 × 13	76	3	2½	42	–	42.83

19 mm WALL NOMINAL (SLIT THROUGH 1 WALL THICKNESS)

15 × 19	15	½	–	134	67	16.71
• 22 × 19	22	¾	½	108	54	19.61
• 28 × 19	28	1	¾	96	48	22.82
35 × 19	35	1¼	1	70	35	25.89
42 × 19	42	1½	1¼	60	–	28.32


25 mm WALL NOMINAL (SLIT THROUGH 1 WALL THICKNESS)

• 15 × 25	15	½	–	100	50	28.97
22 × 25	22	¾	½	80	40	31.74
28 × 25	28	1	¾	66	33	36.74
35 × 25	35	1¼	1	56	28	39.68
42 × 25	42	1½	1¼	28	–	44.09

- Water Byelaw 49 W35 Regulation sizes



EVERYTHING SAFETY UNDER ONE ROOF



THE STOREHOUSE ONLINE STORE IS **HERE!**



UNIT 8, WOODGATES INDUSTRIAL ESTATE,
WOODGATES END, DUMOW, ESSEX, CM6 2BN

Tel: 01279 743220

sales@storehouse-safety.com

www.storehouse-safety.com

FEBRUARY 2026

Adhesives – Coatings & Vapour Seals

PRODUCT DESCRIPTION		UNIT	PRICE £
IDENDEN ADHESIVES			
10-02	HT Fibre Adhesive	5 L	88.22
10-37	Cold Store Adhesive	25L	324.39
10-88	GP Adhesive	5 L	83.99
10-401	Low Pressure Spray Adhesive	25L	590.12
10-500	General Purpose Aerosol Adhesive	500ml	26.74
10-450	Fire Protection Structural Adhesive	17 kg	158.13
10-188	Water Based Structural Adhesive	25L	419.52
10-188	Water Based Structural Adhesive	10L	199.01
10-253	Insulation Hanger Adhesive	5 L	185.61
ISR 70-03	Synthetic Polymer Adhesive – White	290ml cart	34.98
ISR 70-03	Synthetic Polymer Adhesive – Grey	290ml cart	34.98
ISR 70-03	Synthetic Polymer Adhesive – Black	290ml cart	34.98
IDENDEN SEALANTS			
40-113	High Velocity Solvented Duct Sealant	C30 cart	11.75
40-297	Heat Resistant Silicone-Sealant	C20 cart	53.88
40-317	High Velocity Acrylic Duct Sealant	C20 cart	13.82
IDENDEN COATINGS			
ET10	Protective Sealer Coating (discontinued)	10L	150.32
ET10	Protective Sealer Coating (discontinued)	5 L	79.59
30-17	PVA Aquagrip	5 kg	33.45
30-17	PVA Sealer	5 L	43.85
ET150	Sprayable Vapour Barrier Coating – White	10L	235.81
ET150	Sprayable Vapour Barrier Coating – Black	10L	235.81
ET150	Sprayable Vapour Barrier Coating – Grey	10L	235.81
30-150	Brushable Vapour Barrier Coating – White	10L	263.31
30-150	Brushable Vapour Barrier Coating – Black	10L	273.73
30-150	Brushable Vapour Barrier Coating – Grey	10L	273.73
30-330	Dampstrip Asbestos Penetrant	5 L	46.65
IDENDEN FIRE PROTECTION			
Fireseal Fire Resistant Silicone – White		12 × C20 cart	306.09
Fireseal Fire Resistant Silicone – Grey		12 × C20 cart	243.32
Intucrylic Intumescent Acrylic Sealant – White		12 × C20 cart	70.00
Intucrylic Intumescent Acrylic Sealant – White		12 × C20 cart	70.00
Fire & Acoustic Sealant		12 × C20 cart	135.70
Fire Retardant Expanding Foam Filler		700ml	38.67

Stainless Steel – Aluminium Fixings and Fastenings

PRODUCT DESCRIPTION	UNIT	PRICE £
PREFORMED ALUMINIUM BANDS 19mm WIDE		
8"	Per 100	24.88
9"	Per 100	27.44
10"	Per 100	30.04
11"	Per 100	32.36
12"	Per 100	33.08
13"	Per 100	34.99
14"	Per 100	36.35
15"	Per 100	38.04
16"	Per 100	39.46
17"	Per 100	41.02
18"	Per 100	42.53
19"	Per 100	44.02
20"	Per 100	45.47
21"	Per 100	46.40
22"	Per 100	47.30
23	Per 100	47.88
24"	Per 100	49.06
25"	Per 100	49.90
26"	Per 100	50.57
27"	Per 100	51.22
28"	Per 100	52.55
29"	Per 100	53.26
30"	Per 100	54.44
32"	Per 100	57.54
34"	Per 100	60.08
36"	Per 100	61.78
38"	Per 100	64.86
40"	Per 100	70.48
42"	Per 100	70.80
44"	Per 100	74.63

ALUMINIUM BANDING AND SEALS

700m coil	per kg	40.56
500m coil	per kg	40.56
25m coil	per kg	40.56
19mm Wing Seals	100	22.66
25mm Wing Seals	100	27.06

PAINT BRUSHES

25 mm	Each	2.69
50 mm	Each	3.04
75 mm	Each	4.81
100 mm	Each	6.41

FEBRUARY 2026

Stainless Steel – Aluminium Fixings and Fastenings

PRODUCT DESCRIPTION	UNIT	PRICE £
ALUMINIUM BLIND RIVETS		
1/8" Diameter x 1/4"	1000	25.67
1/8" Diameter x 5/16"	1000	26.69
1/8" Diameter x 3/8"	1000	26.84
1/8" Diameter x 1/2"	1000	27.27
5/32" Diameter x 5/16"	1000	29.55
5/32" Diameter x 3/8"	1000	31.60
STAINLESS STEEL RIVETS		
1/8 x 5/16	1000	132.11
1/8 x 3/8	1000	153.46
1/8 x 1/2	1000	189.09
5/32 x 1/4	1000	202.35
5/32 x 3/8	1000	203.71
5/32 x 1/2	1000	235.68
3/16 x 3/8	1000	298.68
3/16 x 1/2	1000	308.86
STAINLESS STEEL LATCHES (TOGGLE)		
Stainless Steel Latches (Toggle)	100	87.52
Stainless Steel Strike Plate (Hook)	100	35.15
STAINLESS STEEL SELF TAPPING PAN HEAD AB SLOTTED SCREWS		
1/2" No. 8	1000	44.51
1/2" No. 10	1000	66.47
3/4" No. 8	1000	55.32
3/4" No. 10	1000	74.13
ZINC PLATED SELF-TAPPING PAN HEAD AB SLOTTED		
1/2" No. 8	1000	22.12
1/2" No. 10	1000	32.49
ZINC PLATED TOGGLE FASTENERS		
Zinc Plated Latches (Toggle)	100	87.85
Zinc Plated Strike Plate (Hook)	100	22.19
HOOKS		
Zinc Hooks 33D	1000	119.04
Zinc Discs 0-24	1000	101.83
Brass Hooks 33D	1000	237.31
Brass Discs 0-24	1000	226.94
DRILL BITS		
Stub Drill 1/8" (3.25 mm)	10	17.53
Stub Drill 9/64" (3.6 mm)	10	P.O.A
Stub Drill 5/32" (4 mm)	10	P.O.A
Stub Drill 1/4" (.8 mm)	10	P.O.A
HSS Jobber Drill 1/8" (3.25 mm)	10	P.O.A
HSS Jobber Drill 5/32" (4 mm)	10	P.O.A

Miscellaneous Fixings and Fastenings

PRODUCT DESCRIPTION	UNIT	PRICE £
GALVANISED WIRE NETTING		
13 mm Mesh 900 mm × 50 m × 22swg	Roll	136.84
25 mm Mesh 900 mm × 50 m × 20swg	Roll	120.88
25 mm Mesh 900 mm × 50 m × 22swg	Roll	88.46
50 mm Mesh 900 mm × 50 m × 19swg	Roll	80.88
50 mm Mesh 1200 mm × 50 m × 19swg	Roll	103.75
BLACK DIPPED WIRE NETTING		
25 mm Mesh 900 mm × 50 m × 20swg	Roll	P.O.A
STAINLESS STEEL WIRE NETTING		
25 mm Mesh 900 mm × 50 m × 20swg	Roll	P.O.A
25 mm Mesh 900 mm × 50 m × 22swg	Roll	P.O.A
METAL MESH		
Expamet 263 Galvanised 2500 × 700 × 0.5mm	Sheet	P.O.A
GALVANISED LACING WIRE		
19 swg 1 mm (APPROX. 85m PER COIL)	½ coil	9.53
STAINLESS STEEL LACING WIRE		
0.7 mm/22swg	Coil	P.O.A
1.0 mm/19swg	Coil	P.O.A
1.25 mm/18swg	kg	P.O.A
SELF-ADHESIVE GALVANISED HANGER PINS WITH WASHERS		
40mm Pins	100	39.06
62mm Pins	100	53.45
110mm Pins	100	80.46
Self locking washers (only)	100	17.55
PERFORATED GALVANISED HANGER PINS WITH WASHERS		
62mm Pins	100	38.74
90mm Pins	100	39.45
110mm Pins	100	44.77
Metal washers for pins (only)	100	17.55
FLAT SHEET METAL		
0.7 Stucco 2 m × 1 m		P.O.A
0.5 Stucco 2 m × 1 m		P.O.A
0.7 Angle 50mm × 50mm		P.O.A

FEBRUARY 2026

Tapes and ID Banding

PRODUCT DESCRIPTION	UNIT	PRICE £
BRIGHT CLASS '0' ALUMINIUM FOIL TAPE		
50 mm × 45 m	Roll	15.29
75 mm × 45 m	Roll	23.10
100 mm × 45 m	Roll	30.61
PCL CLOTH TAPE – SILVER/BLACK		
50 mm × 50 m	Roll	10.60
75 mm × 50 m	Roll	15.88
100 mm × 50 m	Roll	21.19
PAPER MASKING TAPE		
25 mm × 50 m	Roll	2.09
50 mm × 50 m	Roll	4.15
75 mm × 50 m	Roll	6.24
DOUBLE-SIDED TISSUE TAPE		
25 mm × 50 m	Roll	7.35
50 mm × 50 m	Roll	14.71
DENSO TAPE		
30 mm × 10 m	Roll	8.07
50 mm × 10 m	Roll	13.57
75 mm × 10 m	Roll	20.43
100 mm × 10 m	Roll	27.03
150 mm × 10 m	Roll	40.73
200 mm × 10 m	Roll	61.10
Densofil – 2 kg (6 blocks per carton)	Carton	334.73
PIPEMARK ALL-IN-ONE ID BANDING		
<i>150 mm × 33 m Rolls*</i>		
Boosted Cold Water	Roll	66.99
Central Heating Flow and Return	Roll	66.99
Cold Water Main	Roll	66.99
Chilled Water Flow and Return	Roll	66.99
Condensate	Roll	66.99
Cold Down Service	Roll	66.99
Drinking Water	Roll	66.99
Hot Water Supply Flow and Return	Roll	66.99
Steam	Roll	66.99
Identification labels for the above	Sheets 10	16.45
Ductwork Triangles	Sheets 5	5.52
SELF ADHESIVE ID TAPE		
50 mm Colours to BS1710	Roll	47.51
PRINTED SELF ADHESIVE ID TAPE		
<i>50 mm wide × 66 m</i>		
Arrow	Roll	47.51
Flow	Roll	47.51
Return	Roll	47.51
Legend Various	Roll	47.51

ProTech Global

PRODUCT DESCRIPTION	UNIT	PRICE £
ADHESIVE TAPE		
GT30 HT Class O Foil Tape 50 mm × 50 m	Roll	12.55
GT30 HT Class O Foil Tape 72 mm × 50 m	Roll	18.84
GT30 HT Class O Foil Tape 96 mm × 50 m	Roll	25.08
MATT BLACK FOIL TAPE		
GTB65 50mm × 50 m	Roll	34.69
GTB65 100mm × 50 m	Roll	69.37
PROCLAD 150		
Proclad 150S Plain Silver 600 mm × 50 m	Roll	603.98
Proclad 150w White 600 mm × 50 m	Roll	620.32
Proclad 150B Black 600 mm × 50 m	Roll	652.96
Proclad 150EMB Silver Embossed 600 mm × 50 m	Roll	699.59
PROCLAD JOINTING TAPE		
Proclad T Plain Silver 2 Ply 50 mm × 50 m	Roll	61.66
Proclad T Plain Silver 2 Ply 75 mm × 50 m	Roll	92.49
Proclad T Plain Silver 2 Ply 100 mm × 50 m	Roll	123.32
Proclad T Black 2 Ply 50 mm × 50 m	Roll	63.95
Proclad T Black 2 Ply 75 mm × 50 m	Roll	95.91
Proclad T White 2 Ply 50 mm × 50 m	Roll	63.95
Proclad T White 2 Ply 75 mm × 50 m	Roll	95.91
PROCLAD PLUS (350mu)		
Proclad Plus Silver Embossed 600 mm × 25 m	Roll	733.09
Proclad Plus Plain Silver 600 mm × 25 m	Roll	646.60
PROCLAD PLUS JOINTING TAPE		
Proclad Plus Silver (Only) 50 mm × 50 m	Roll	67.00
Proclad Plus Silver (Only) 75 mm × 50 m	Roll	100.50



SAFEBLADE

Safeblade 1 System 10" Safeblade, Holster, Belt & Lanyard	Set	45.56
Safeblade 2 System 10" Safeblade + 5" Safeblade, Holster, Belt & Lanyard	Set	54.59

FEBRUARY 2026

Temati - Vapor-Fas 62-05 Jacketing

Vapor-Fas 62-05 is a flexible, vapor barrier jacketing designed for use over insulation, and can be used over most types of insulation including, cellular glass, polyurethane, polyisocyanurate, polystyrene, and faced mineral fibre.

COLOUR	ROLL SIZE	ROLL AREA (m ²)	PRICE PER ROLL (£)
BLACK	500 mm x 50 m	25	322.77
WHITE	500 mm x 50 m	25	322.77
SILVER	500 mm x 50 m	25	322.77
STUCCO (SILVER)	500 mm x 50 m	25	430.76
GREY	500 mm x 50 m	25	351.93
MATT BLACK - INTERNAL USE ONLY	500 mm x 50 m	25	322.77



Temati - Temfoil SA30 (CW) - Aluminium Foil Tape

Temfoil SA30 (CW) is a 30 micron, high tensile strength aluminium foil tape, with an acrylic sensitive adhesive, which is suitable for use in cold weather, with a service temperature range of -40°C to +120°C (Application Temperature Range: -10°C to + 40°C)

ROLL WIDTH	ROLL LENGTH	BOX QUANTITY	PRICE PER ROLL (£)
50 mm	50 m	24	13.23
75 mm	50 m	16	19.84
100 mm	50 m	12	26.46



Textiles and Coverings

PRODUCT DESCRIPTION	UNIT	PRICE £
PLAIN GLASS CLOTHS		
Standard Duty 1 m × 50 m	m ²	6.85
Heavy Duty 1 m × 50 m	m ²	11.74
Admiralty Grade 1 m × 50 m	m ²	23.39
ALUMINIUM GLASS CLOTHS		
Standard Duty 1 m × 50 m	m ²	16.75
Heavy Duty 1 m × 50 m	m ²	22.48
Admiralty 1 m × 50 m	m ²	33.27
OPEN WEAVE GLASS SCRIM		
No 10 – 1 m × 50 m	m ²	3.71
No 20 – 1 m × 50 m	m ²	4.17
GLASS TISSUE CLOTH		
Black 1200 mm wide	m ²	3.24
White 1200 mm wide	m ²	1.90
GLASS ROPE GR3		
12 mm × 30 m	Coil	48.20
20 mm × 30 m	Coil	69.44
25 mm × 30 m	Coil	86.28
32 mm × 30 m	Coil	114.08
40 mm × 30 m	Coil	162.48
50 mm × 30 m	Coil	259.14
CANVAS 4 oz		
1040 mm wide × 200 m	Lin M	7.56
1270 mm wide × 200 m	Lin M	9.61
Cold Water Paste	5 L/Yield	12.08
BRIGHT CLASS '0' REINFORCED ALUMINIUM FOIL		
1200 mm wide	m ²	3.55
Plain Aluminium Foil – 40 micron	Roll	P.O.A.
PIB SHEETING		
0.5 mm × 1 m × 25 m Chalked	Roll	395.02
0.8 mm × 1 m × 15 m Chalked	Roll	336.74
0.8 mm × 1 m × 15 m Interleaved	Roll	376.36
0.8 mm × 1.2 m × 15 m Interleaved	Roll	P.O.A.
0.8 mm × 1.2 m × 25 m Interleaved	Roll	P.O.A.
PIB Welding Agent	5 L	110.41
W Spirit	2 L	25.16
PURE ALUMINIUM FOIL		
610 mm × 60 mtr (50 mu)	Roll	157.58

FEBRUARY 2026

Isogenopak 350 SE Accessories

GAUGE	WIDTH (m)	LENGTH (m)	PRICE PER m ²	PRICE £
REELS				
350 Microns	1	25	8.69	365.82
350 Microns	1	35	8.69	499.83
FLAT SHEET				
	1	1.5	15.02	40.70

ISOGENOPAK ACCESSORIES	UNIT	PRICE £
RIVETS		
	Per 1000	31.54
BRADAWLS		
Universal	Each	11.43
MATCHING PVC TAPE		
Self adhesive. 30mm wide x 33m long	Per roll	9.78
Self adhesive. 50mm wide x 33m long	Per roll	17.27

Isogenopak S Bends

TO SUIT: STANDARD 90° WELDED BENDS

Prices: £ each

NOMINAL O/D mm	THICKNESS OF INSULATION mm							
	20	25	30	40	50	60	80	100
12	3.51							
17	3.97	4.06	6.57		9.56			
21	4.06	4.43	6.24	7.05	9.25			30.02
27	4.42	4.43	7.49	8.42	10.83			
34	4.55	5.57	7.59	8.71	11.96	15.28		32.93
43	5.57	6.28	8.64	10.02	13.65	15.28	21.55	
48	6.28	7.00	9.75	10.83	13.65	17.02	26.97	37.85
54	6.58		11.35		15.51			
60	8.42	10.11	11.35	13.05	16.34	18.92	28.67	43.02
64	8.42		11.44			19.73		
70	8.42		11.44	13.60	17.02	21.14	34.44	
76	9.56	10.16	13.25	15.28	17.02	21.89	39.70	55.91
89	10.83	11.35	14.90	17.08	18.92	27.13	43.08	60.41
102	11.76	12.72	15.05	17.62	25.53	28.54		
108	12.67	13.89	15.97	18.50	25.53	29.48	51.15	67.28
114	13.77	15.97	18.83	19.79	25.87	29.74	53.85	70.70
134		19.16	20.60	27.32	32.01	43.08	66.64	82.19
140	15.97	20.57	26.02	28.74	33.26	49.99	67.65	82.57
168		28.06	35.18	37.76	50.37	60.24	76.15	98.85
194			47.12	51.95	66.63	70.70	89.41	114.31
219		54.75	55.63	72.08	72.47	80.68	102.29	129.14
245					84.35		116.35	
267		77.00	80.70		93.58	105.98	130.35	227.76
273		90.17					140.10	237.02
324		98.21			132.90			
356								
368								
406								

Isogenopak T Sections

Prices: £ each

MANPIPE O.D. mm	PRICE	BRANCH DIAMETER (INCLUDING INSULATION)									
		61	67	74	83	88	94	100	103	108	116
61	6.98	*									
67	7.29	*	*								
74	7.64	*	*	*							
83	8.07	*	*		*						
88	8.14	*	*	*	*	*					
94	8.61	*	*	*	*	*	*				
100	9.01	*	*	*	*	*	*	*			
103	9.77	*	*	*	*	*	*	*	*		
108	10.98	*	*	*	*	*	*	*	*	*	
116	12.27										*
130	14.30						*		*	*	
140	15.95		*				*		*	*	
156	18.73						*		*	*	
		120	130	136	140	149	156	169	176	182	189
120	12.85	*									
130	14.30	*	*								
136	14.30			*							
140	15.95	*	*		*						
148	17.63					*					
156	18.73				*		*				
169	21.43				*	*	*	*			
176	22.65								*		
182	23.89									*	
189	24.87										*
214	29.00				*		*	*		*	*
245	46.83										*
		194	214	218	245						
194	25.01	*									
214	29.00	*	*								
245	46.83			*		*	*				

Isogenopak W Bends

TO SUIT: 90° SHORT RADIUS THREADED BENDS

Prices: £ each

NOMINAL O/D mm	BRANCH DIAMETER (INCLUDING INSULATION)				
	20	25	30	40	50
17	4.05	4.12	6.68	7.60	9.71
21	4.12	4.50	6.68	7.60	9.94
27	4.49	4.50	7.60	8.54	11.02
34	4.64	5.68	7.72	8.84	12.15
43	5.68	6.39	8.81	10.20	13.87
48	6.39	7.12	9.92	11.02	13.87
60	8.54	8.54	11.55	13.26	16.61
76	9.71	10.33	13.48	15.52	17.32
89	11.02	11.55	15.13	17.34	19.23
114	13.99		19.14	20.13	

END CAPPING

Prices: £ each

INSULATION THICKNESS	ALUMINIUM	PVC COATED
15	24.54	38.96
20	27.08	43.05
25	28.47	44.86
30	33.31	46.67
40	40.03	76.28
50	43.34	—
60	48.41	—
75	58.13	—

Packed in boxes containing 5 × 10m rolls.

FEBRUARY 2026

Isogenopak Alternative bend size chart

O/D mm	INSULATION THICKNESS mm							
	20	25	30	40	50	60	80	100
12	52	–	–	–	–	–	–	–
17	57	67	77	–	117	–	–	–
21	61	71	81	101	121	–	–	221
27	67	77	87	107	127	–	–	–
34	74	84	94	114	134	154	–	234
43	83	93	103	123	143	163	203	–
48	88	98	108	128	148	168	208	248
54	94	–	114	–	154	–	–	–
60	100	110	120	140	160	180	220	260
64	104	–	124	–	–	184	–	–
70	110	–	130	150	170	190	230	–
76	116	126	136	156	176	196	236	276
89	129	139	149	169	189	209	249	289
102	142	152	162	182	202	222	–	–
108	148	158	168	188	208	228	268	308
114	154	164	174	194	214	234	274	314
134	–	184	194	214	234	254	294	334
140	180	190	200	220	240	260	300	340
159	–	209	219	239	259	279	319	359
168	–	218	228	248	268	288	328	368
194	–	–	254	274	294	314	354	394
219	–	269	279	299	319	339	379	419
245	–	–	–	–	345	–	405	–
267	–	317	327	–	367	387	427	467
273	–	323	–	–	–	–	433	473
324	–	374	384	–	424	–	–	524
356	–	406	–	–	–	–	–	–
368	–	–	–	–	–	–	–	568

ALTERNATIVE BENDS

To find alternative bend size, first select all the bends having the same total diameter as the one required. Then choose the one with the smallest pipe and thickest insulation.

FEBRUARY 2026

Guide to Pipe Sizes

NORMAL BORE mm	INCHES	NORMAL OD mm
15	½	15
10	⅜	17
15	½	21
20	¾	22
20	¾	27
25	1	28
25	1	34
32	1¼	35
32	1¼	42
40	1½	42
40	1½	48
50	2	54
50	2	60
65	2½	67
65	2½	76
77	3	80
80	3	89
90	3½	102
100	4	108
100	4	114
114	4½	127
125	5	140
150	6	168
175	7	194
200	8	219
225	9	245
250	10	273
285	11	298
310	12	324

Recommended Band Lengths

PIPE BORE Ins.	PIPE OD mm	INSULATION THICKNESS				
		¾" 19mm	1" 25mm	1¼" 32mm	1½" 38mm	2" 50mm
⅜	17	8	9	11	13	15
½	22	8	10	12	13	16
¾	28	9	11	13	14	16
1	34	10	12	14	15	17
1¼	42	11	13	15	16	18
1½	48	12	14	16	17	19
2c	54	13	15	16	18	20
2	60	14	16	17	18	21
2½c	67	15	17	18	19	22
2½	76	16	18	19	21	23
3c	80	17	18	20	21	23
3	89	18	20	21	22	24
4c	104	–	21	22	23	26
4	114	–	22	24	25	28
5	140	–	26	26	30	32
6	168	–	30	31	32	36
8	219	–	36	37	38	42


Conversion Factors

QUANTITY	IMPERIAL SYMBOL	SI SYMBOL	CONVERSION FACTORS IMPERIAL TO SI	SI TO IMPERIAL
LENGTH	in	mm	25.4	0.039 370 1
	ft	cm	30.48	0.32 8084
AREA	in ²	mm ²	645.16	0.001 55
	ft ²	m ²	0.092 903	10.763 9
VOLUME	in ³	cm ³	16.387 1	0.061.023 6
	ft ³	m ³	0.028 3168	35.3147
MASS	gallons	litres	4.546 1	0.219 965
	tons	tonnes	1.016 05	0.984 204
LOADING	1b/ft	kg/m	1.448 16	0.671 971
	1b/ft ²	kg/m ²	4.88243	0.204.816
DENSITY	1b/ft ³	kg/m ³	16.018 5	0.062 427 8
PRESSURE, STRESS	1bf/in ²	N/m ²	6894.76	0.000 145 038
	1bf/in ²	N/m ²	47.880 3	0.020 885 4
	tonf/ft ²	kN/m ²	107.252	0.009 323 84
	atmospheres	kN/m ²	101.325	0.009 869 23
ENERGY	kWh	MJ	3.6	0.277 778
POWER	Btu/h	W	0.293 071	3.412 14
TEMPERATURE	°F	°C	(°F-32) × (5) 9	(°C × 9) + 32 5
INTENSITY OF HEAT FLOW	Btu/ft ² h	W/m ²	3.154 59	0.316 998
THERMAL TRANSMITTANCE	Btuft ² h degf	W/m ² degC	5.678 26	0.176 110
THERMAL CONDUCTIVITY	Btu in ft ² h degF	W/m degC	0.144 228	6.933 47
THERMAL RESISTIVITY	ft ² h degF/btu in	m degC/W	6.933 47	0.144 228
PERMEANCE	grain/ft ² h in Hg			
	(perm)	g/Ns	0.057 15	17.5
PERMEABILITY	grain/ft ²			
	Hg (perm inch)	gm/Ns	0.001 45	689.655
	ft ² h in Hg/grain	MNs/g	17.5	0.057 15
VAPOUR RESISTANCE	ft ² h in Hg/grain	MNs/gm	689.655	0.001 45
VAPOUR RESISTIVITY	ft ² h in Hg/grain in			
COST	£/ft ²	£/m ²	10.763.9	0.092 903 1

Suggested Pipe Section – Double Layering Chart

1st FIGURE IS THICKNESS OF 1st LAYER
2nd FIGURE IS NOMINAL DIA. OF 2nd LAYER


NOM DIA (Inch)	NOM DIA mm	WORK DIA mm	65	70	75	80	90	100	110	120	130	140	150	160	170	180	190	200
3/8	17	20	25 76	30 83	25 76	30 83	30 83	30 83										
1/2	21	23	25 76	40 106	25 76	30 89	40 106	50 127										
3/4	27	28	25 80	30 95	25 80	30 95	50 133	50 133										
	30	32	25 89	40 114	25 89	40 114	40 114	40 114										
1	33	35	25 89	30 102	25 89	30 102	50 140	50 140										
	35	37	25 89	30 102	25 89	30 102	50 140	50 140										
	38	40	25 95	40 127	25 95	40 127	40 127	40 127	40 127									
1 1/4	42	44	25 102	40 127	25 102	40 127	40 127	40 127	40 127									
1 1/2	48	50	25 106	30 114	25 106	30 114	40 133	40 133	40 133									
	51	53	25 108	30 114	25 106	30 114	30 114	50 159	50 159									
	54	56	25 108	30 121	25 108	40 140	40 140	50 159	50 159	50 159								
	57	59	25 114	30 121	25 114	40 140	40 140	40 140	40 140	40 140								
2	60	62	25 114	30 127	25 114	30 127	30 127	30 127	70 205	70 205								
	64	65	25 121	30 127	25 121	30 127	50 169	50 169	50 169	50 169								
	67	69	25 127	30 133	25 127	30 133	30 133	60 194	60 194	60 194								
	70	72	25 127	30 133	25 127	40 159	40 159	40 159	70 216	70 216	70 216							
2 1/2	76	78	25 133	30 140	25 133	40 159	40 159	40 159	60 205	60 205	60 205							
	80	82	25 133	40 169	25 133	40 169	40 169	40 169	60 205	60 205	60 205							
	83	84	25 140	40 169	25 140	40 169	40 169	40 169	60 205	60 205	60 205							
3	89	91	40 178	40 178	50 194	50 194	50 194	50 194	60 216	60 216	60 216							
	95	95	40 178	40 178	40 178	40 178	40 178	40 178	60 219	60 219	60 219							
3 1/2	102	103	40 191	30 169	50 205	50 205	50 205	50 205	70 245	70 245	70 245							
	106	108	40 194	40 194	50 216	40 194	40 194	60 230	60 230	60 230	60 230							
	108	110	40 194	40 194	50 216	40 194	40 194	40 194	70 253	70 253	70 253							
4	114	116	25 169	30 178	25 169	50 219	50 219	50 219	50 219	50 219	80 280							
	121	121	25 178	40 205	25 178	40 205	40 205	60 245	60 245	60 245	60 245	60 245						
4 1/2	127	127	40 216	40 216	50 230	50 230	50 230	50 230	70 273	70 273	70 273	70 273						
	133	135	25 191	40 219	25 191	40 219	40 219	40 219	70 280	70 280	70 280	70 280						
5	140	142		40 230	50 245	50 245	50 245	50 245	60 267	60 267	60 267	60 267						
	159	161		40 245	40 245	40 245	40 245	40 245	70 305	70 305	70 305	70 305						
6	169	170		40 253	50 273	50 273	50 273	50 273	70 318	70 318	70 318	70 318	70 318					
	178	180		30 245	40 267	40 267	40 267	60 305	60 305	60 305	60 305	70 324	70 324					
7	191	191		30 253	25 245	40 273	40 273	40 273	80 356	80 356	80 356	80 356	80 356					
	194	196		40 280	25 253	40 280	40 280	40 280	60 318	60 318	60 318	60 318	60 318					
	205	207		30 273	30 273	30 273	30 273	60 332	60 332	60 332	80 368	80 368	80 368					
	216	218		30 280	25 273	30 280	50 324	50 324	50 324	50 324	50 324	90 406	90 406	90 406				
8	219	222			25 273	40 305	50 324	50 324	50 324	70 368	70 368	70 368	70 368	70 368				
	222	222			25 273	40 305	50 324	50 324	50 324	70 368	70 368	70 368	70 368	70 368				
	230	232			40 318	40 318	40 318	40 318	60 356	60 356	60 356	60 356	60 356	90 419				
9	245	247			40 332	40 332	40 332	40 332	60 368	60 368	60 368	60 368	60 368	60 368				
	253	255				50 356	50 356	50 356	50 356	80 419	80 419	80 419	80 419	80 419	80 419	80 419		
	267	270				40 356	40 356	40 356	40 356	90 456	90 456	90 456	90 456	90 456	90 456	90 456	90 456	
10	273	276				40 356	40 356	40 356	70 419	70 419	70 419	70 419	90 456	90 456	90 456	90 456	90 456	
	280	282				40 368	40 368	40 368	60 406	60 406	60 406	60 406	60 406	60 406	60 406	60 406	60 406	
	305	307				30 368	30 368	30 368	70 456	70 456	70 456	70 456	100 508	100 508	100 508	100 508	100 508	
	318	321					40 406	40 406	40 406	40 406	40 406	90 508	90 508	90 508	90 508	90 508	90 508	90 508
12	324	327					40 419	40 419	40 419	40 419	40 419	90 508	90 508	90 508	90 508	90 508	90 508	90 508
13	332	334					40 419	40 419	40 419	40 419	40 419	100 537	100 537	100 537	100 537	100 537	100 537	100 537
14	356	358					30 419	30 419	30 419	30 419	70 508	70 508	70 508	70 508	70 508	70 508	70 508	70 508
	368	371					40 456	40 456	40 456	40 456	40 456	90 558	90 558	90 558	90 558	90 558	90 558	90 558
16	406	409						60 537	60 537	70 558	70 558	70 558	110 629	110 629	110 629	110 629	110 629	110 629
	419	422						40 508	40 508	40 508	40 508	40 508	90 610	90 610	90 610	90 610	90 610	90 610
18	456	460									80 629	80 629	80 629	80 629	80 629	80 629	80 629	80 629
20	508	511								70 660	70 660	70 660	100 712	100 712	100 712	100 712	100 712	100 712
21	537	539							60 550	60 550	60 550	60 550	60 550	110 762	110 762	110 762	110 762	110 762
22	558	560								70 712	70 712	70 712	100 762	100 762	100 762	100 762	100 762	100 762
24	610	611								70 762	70 762	70 762	100 813	100 813	100 813	100 813	100 813	100 813
	629	632							60 762	60 762	60 762	90 813	90 813	90 813	90 813	90 813	90 813	90 813
26	660	662								70 813	70 813	70 813	100 864	100 864				
28	712	714								70 864	70 864							



BS 1710 2014

Standard rolls - 150mm wide x 25mtrs self-adhesive polypropylene with backing paper

Any service can be printed to order - no minimum quantity



* Also available in 275mm wide rolls



Lined area for notes, consisting of multiple horizontal lines.



INDEPENDENT INSULATION
DISTRIBUTORS ASSOCIATION



BELFAST

NEWCASTLE
UPON TYNE

LEEDS
SCUNTHORPE
MANCHESTER

MERSEYSIDE

NORWICH

WITNEY

BRISTOL

STANSTED

LONDON